
Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.







In all up-to-date localities a properly equipped seed store is now considered indispensable. It is very generally admitted that the seed needs of a commu-

nity can be taken care of best at the home seed store. The old custom of sending away for seeds is growing less each year and for this reason the home seed store is becoming more firmly a fixture and better able each year to meet the increasing demand for fresh, reliable seeds.

Some of our friends may still cling to the idea that they gain something by sending away for their seeds. All we ask of such is a

chance to show that the idea is wrong.

Our Catalogue describes all of the best standard varieties and the newer kinds that have become popular. Our supplies are from the right sources and we offer them at the right prices. We are prepared to fill all orders and solicit the trade of the Market Gardener as well as the amateur planter.

We make a specialty of seeds for the town garden and for the farm garden. Good Seeds are necessary if good crops are expected, and our success depends upon selling you that kind. Call or write,

and be sure to let us figure on your order.

Fertilizers

Fertilizer Values Vary. Write for Prices. The value of Commercial Fertilizer is well known. There are many different brands and combinations —each of which has its value for certain crops and conditions of soil. The element that is lacking in the soil is what the special fertilizer supplies. Write for our prices and for information as to kinds.

Insecticides



Bug Death. This new preparation comes highly recommended after a six years' test. It is sure death to the Potato Bug, and besides it acts as a fer-tilizer. There are tilizer. many testimonials at hand from very large potato growers. From the reports that we have received in regard to this new insecticide we feel much confidence in

offering it with our indorsement to any of our customers who want a quick acting, sure, non-poison-ous bug killer. It can be used on all vegetables

ous oug kiner. It can be used on all vegetables and fruit crop and will give excellent results.

1 lb. package, 15c; 3 lb. package, 40c; 5 lb. package, 60c; 12½ lb. package, \$1.25; 100 lb. keg, \$8.00. Slug Shot (Hammonds). Excellent for destroying cabbage, turnip and beet fly, potato bugs, currant worms, etc. Prepared ready for use.

5 lb. package, 30c; 10 lb. package, 50c.

Local Names of Seeds

We frequently have calls for seeds under names that are not generally found in the catalogue. In most cases of this kind there is a standard catalogue name for the article and we usually locate it easily from the description the customer gives of it. If you do not recognize the desired article from the catalogue names let us know and we shall endeavor to locate it and get it for you if we do not have it in stock.

Sundry Requisites and Supplies

There are many requisites and supplies that we do not have room to list in our catalogue. We aim to have all seasonable articles on hand and can to have all seasonable articles on hand and can supply all of these at the time they are required. There are different makes of tools, different brands of requisites and different kinds of supplies all hav-ing merit. When we know what you prefer in any of these lines we can meet your requirements.

Bulbs, Plants, Etc.

Bulbs, Plants and Shrubs are in a class by themselves. There are bulbs for spring planting and bulbs for fall planting. Some shrubs do best when planted in the spring, others when planted in the fall. Roots of the perennial plants may be planted in fall or spring. Plants of the small fruits usually do best when planted in the spring. When ready to order your supplies in this department let us figure on your needs. ure on your needs.

CLARKE'S SEED STORE

CLARKE & KELLER

Wholesale and Retail Seeds, Bulbs, Plants, Roots, Etc., for the Garden and Field.

To Our Customers and Friends:

This is our new 1916 Catalog. We take pleasure in forwarding it to you, hoping it will prove of interest to you. We feel that we would be very ungrateful if we did not say right here, Thank you, to thousands of customers who are sending us their orders from our catalog from year to year, thus doubling our trade each year, and enabling us to better serve our customers. We are determined to better serve you each year and are continually adding to our cleaning, testing and mailing department.

We are close to the southwest planter, and can serve you in much less time than the seed house that is a part way or across the continent.

We have a complete testing and germinating plant, and all seeds bought from us can be depended on to grow. Fourteen years of experience enables us to offer the exact seeds that are suitable to the southwest: Buying direct from the grower, both in this country and abroad, we are able to offer the most attractive prices, and where the distance is so short the carrying charges are very low. Try us once with an order, and if not satisfied we will make you satisfied. We want your mail orders, and we promise you more for your money than any other seed house.

IN ORDERING

Use our order blank when you have it. Always add enough to prepay charges when ordering by parcels post. Be sure and sign your name plainly. Order early. If you are a market gardener, submit us a list of your wants, and we will give you the very lowest prices.

POULTRY SUPPLIES

We are Manufacturers of

"OKLA SCRATCH FOOD" and "OKLA CHICK FOOD"

The following articles can be furnished at any time at the market price: Beef Scraps, Ground Bone. Oyster Shell, Crys-co Grit, Granulated Charcoal, Wheat, Kafircorn, Sunflower Seed.


CONKEY'S POULTRY REMEDIES are guaranteed, and we always have on hand: Roup Remedy, Cholera, Limber neck, White Diarrhoea, Head Lice Ointment, Laying Tonic, Chicken Pox Remedy.

We handle CHAD'S LICE KILLER, the best on the market today.

Root's Bee-Keepers' Supplies

We sell these celebrated goods and keep on hand a full supply. Why not save time and freight and buy these from us? The bee-keeper who uses up-to-date bee hives and supplies is the one who gets the honey.

Send for Catalogue and Prices.



Pure Texas Red Oats RUST PROOF

We have secured several cars of Pure Texas Red Rust Proof Oats that were harvested and threshed without rain. We are aware of the fact that the crop in Central and Eastern Oklahoma was practically ruined by continued rains, and that the germination is very low, our oats are Southwest Oklahoma oats, pure, bright and heavy, and the superior of any oats we have seen elsewhere. Buy these oats early, and be assured of a crop. Ask for samples and prices. They will plant much further than oats grown with so much moisture.

MIRACLE WHEAT


We have growing a large acreage of this famous wheat. Our seed came from one of the best growers in Southwest Oklahoma, where it has proved superior to all other wheat. Yields of 40 bushels and more have been made and the farmers in the wheat belt have largely increased their acreage.

It is the best drought resister of any of the varieties that are grown in the winter wheat belt, and yields from 50 to 100 per cent more than other kinds. This seed has commanded a fancy price heretofore, but as we are growing our own seed, we will be able to sell it at a very reasonable price. Try this wheat, its a money maker for you.

We use every effort possible in the selection of our seeds, and feel justified in saying that all our seeds are the purest and best to be found, but at the same time, their being so many things beyond the control of man that spoil the best seeds and cause poor crops, that it is impossible to guarantee seeds. Therefore, while we exercise great care to have all seeds pure and reliable, we sell no seeds with warranty, expressed or implied in any respect, and are not in any way responsible for the crop.

Prices of Seeds vary. We quote Market Values upon request and always give our customers the benefit of the lowest price that the market condition will warrant. Special prices on a general list will be given

upon application. LET US HEAR FROM YOU.



The Globe Artichoke is cultivated for its flower-heads, which are cooked like asparagus. Plants set in any good soil, with slight covering in winter, will remain in bearing several years.

Large Green Globe. The standard variety.

Jerusalem. This variety is not produced from seed, but is cultivated for its tubers which are especially valuable for stock feeding.



ASPARAGUS

Fr., Asperge. Ger., Spargel.

Sow one ounce for sixty feet of drill. Sow in March or April, in rows one foot apart. When two years old transplant into permanent beds, which should be well and deeply manured, and trenched to the depth of two feet. Set the plants (in rows) from three to four feet apart, and two feet in the rows, spreading out the roots, or compost; fork the beds early in the spring, and apply a dressing of salt. Cut for use the second year after planting, in permanent bed.

ASPARAGUS SEED

Columbian Mammoth White. A new and entirely distinct variety that produces shoots that are white, and remain white as long as fit for use.

Conover's Colossal. The standard variety; of large size, tender and of excellent quality.


Palmetto. It is of very large size, even and regular in growth and appearance.

It is a very early sort.

Palmetto. It is of very large size, even and regular in growth and appearance. It is a very early sort, and immensely productive and of the best quality.

ASPARAGUS ROOTS

Two Years Are Gained if Roots Are Planted.



BRUSSELS SPROUTS

Columbian Mammoth White. 2-year-old roots. Conover's Colossal. 2-yearold roots. Barr's Mammoth.

Barr's Mammoth. 2-year-old-roots Palmetto. 2-year-old roots. Prices on any variety of 2-year-old roots per 100, 75c; per 1000, \$6.00.

BRUSSELS SPROUTS

One Ounce of Seeds to 100 Yards of Row.

A variety of the Cabbage family, possessing the peculiarity of bearing upon its stem or stalk from 50 to 100 buds resembling miniature Cabbage heads. The leaves composing these heads resemble Savoy Cabbage in their crumpled texture and also in their crolor. The heads or buds, from 1 to 2 inches in diameter, form one of the most delicious garden vegetables, only equaled by the Cauliflower. Treat same as Cabbage. Autumn-grown Sprouts, drilled in May and transplanted in July generally do best, as the plants are quite hardy and the buds mellow under frost.



ASPARAGUS CONOVER'S COLOSSAL

BROCCOLI

One Ounce of Seed to 100 Yards of Row.

A plant much resembling the Cauliflower, and like it derived from the wild Cabbage. Broccoli requires a longer season to develop than Cauliflower. It has more numerous and stiffer leaves, and the heads are smaller.

Large Early White. Large white head, resembling Cauliflower.

BUSH BEANS

Beans are easily frost killed, so plant them at corn planting time on light dry land. Cold, wet weather will rot the seed in the ground and fresh manure causes a rank growth of vine with a lack of pods.

If hand cultivated, beans can be drilled in poor soil as close as eighteen inches; but in rich soil with horse cultivation thirty inches is required. Drill six beans to the foot and cover one inch deep; or plant in hills eighteen by twenty-four inches. One quart should plant 250 feet and two bushels plant an acre. Expect a picking after six weeks. Plant every third week for a succession up till Aug. Ist in the latitude of Chicago. Pick beans before the bulge of seed appears, and pick beans clean to continue the plants bearing. Give beans shallow cultivation, and do not till the soil when the plant is in bloom or the plant in self-defense will drop its bloom. To cultivate when wet is to invite rust.

Green Pod Varieties.

Refugee or 1000 to 1. The vines are large, spreading, exceedingly hardy, with small smooth leaves, very late and bear long cylindrical green pods of excellent quality. Highly esteemed for late planting and for use as Pickles.

Black Valentine. A very hardy and productive green podded sort, with strong, vigorous vines. Pods rather flat but very handsome, much longer, straighter less fleshy than the Red Valentine, the plant a little more spreading, and in season a little later.

BUSH BEANS, Green Pod—Continued

Bush Beans, Green Pod—Continued

Burpee's Stringless Green Pod. A very desirable green podded snap sort for the home garden and largely grown for the market. The vine is vigorous, spreading and productive. The pods are larger than those of the Red Valentine, but are quite as fleshy, of equally high quality and remain crisp and tender longer.

Early Red Valentine. For snaps there is nothing superior to this variety among the dwarf green podded sorts both for the home and market garden and many prefer it to the wax varieties. Vines medium to large, erect, with dark green leaves. Pods medium length, curved, cylindrical, with crease in back, very fleshy, crisp and tender.

Early Mohawk. One of the oldest and best known sorts. The pod is green, thick, flat in shape, of fair quality, developing a slight string as it matures. Is ready to pick 48 days from planting, and will resist a slight degree of frost very successfully.

Black Valentine. This excellent variety is a great improvement over the old standard early Red Valentine, being one-third longer than that variety with pods perfectly round and straight and of excellent quality. It also has the additional advantage of being suitable for both early and late planting and is extremely hardy. It will withstand early and late frost, is an excellent shipper, a large yielder, and of very handsome appearance.

Extra Early Refugee. Very much earlier than the Old Style Refugee or 1000 to 1. More dwarf and compact in growth.

Longfellow. This new bean has long green pods, is exceedingly prolific, always solid, a delicious flavor, is tender and remarkably early. It matures its crop very regularly and withstands adverse conditions well. A good bean for market or home use.

for market or home use.

for market or home use.

Long Yellow Six Weeks. The vine is large, vigorous, branching and productive, with large leaves. Pods long, straight, thick, flat in shape, green in color, of good quality when young and fair as they near maturity.

Tennessee Green Pod. This dwarf snap bean, although new to the Seed Trade, has for several years been grown in the South, and wherever known is freely spoken of in terms of highest praise.

Dwarf Horticultural. Vines very productive, compact, upright, with large leaves. Pods medium length, cylindrical, curved, with splashes of bright red on a vellowish ground. on a yellowish ground.

Pheasant Eye. A valuable new green podded variety. Vines hardy, sturdy, well leafed. Pods long, meaty, stringless and of excellent quality.

Bountiful Beans. This new green podded Bush Bean is a heavy cropper and very early, of fine shape, stringless and good quality.

Giant Stringless Green Pod. A very hardy, stocky vine, pods long, round and green in color, of exceptionally fine quality and stringless throughout its entire growth.

entire growth.

Low's Champion. Large, green, flat, stringless pods.
Early Monawk.
Improved White Kidney.
Boston Pea Bean.
Prollfic Tree.

Red Kidney.
Large White M

Navy. Goddard or Boston Favorite. Red Kidney. Large White Marrow.

DWARF LIMA VARIETY

As limas require even more heat than other beans, a failure will follow a too early planting. The beans when favorably planted throw out from what we term the bean's eye a stout root; this root in turn lifts the bean above the ground. The bean then opens its halves, or false leaves or cotyledons and the true leaves soon follow. If in planting the bean is thrust into the soil eye down and just below the surface, the bean is in a favorable position to begin its growth. However, the crop can be secured though with a lesser percent of germination by dropping the bean in any position. position.

position.

Bush limas are earlier than pole limas and are planted in twenty-four to forty inch drills, three to six inches apart in the row according to varieties. One quart plants one hundred twenty-five to one hundred fifty feet.

Treat pole limas like other pole beans, using one quart to one hundred

Burpee's. The bush form of the true, luscious, large lima.
Fordhook. The bush form of the chubby or Potato Lima.
Henderson's. This is a bush form of the small Seiva pole bean.

BUSH BEANS, WAX POD

Davis White Wax. This bean is adapted alike for the canner, market gardener, shipper or amateur. The dry bean is large, kidney-shaped, and white in color, making it one of the best for cooking in a dry state. Golden Wax. The old standard wax sort. Productive and fair quality.

Golden Wax. The old standard wax sort. Productive and early, with yellow semi-round pods of good quality; ready to pick 49 days from planting.

Improved Golden Wax.* Rust proof, an improvement on the old style Golden Wax. Pod is semi-round, yellow, of good quality and has no string. Ready for picking 47 days from planting.

Prolific Black Wax. The old standard Black Wax Bush Bean. It is so good that it is worthy of special notice. The pods are round, brittle, of handsome golden yellow color, and of buttery flavor when cooked. Webber Wax. Unquestionably one of the best wax podded beans ever introduced. It is a market gardener's bean, having been originated in one of the best market gardening sections of the West. It produces a deep strong, holding the pods well up, with good leaf covering and bearing in profusion.

Keeney's Rustless Golden Wax. Combines hardiness and productiveness with fine quality. A strong growing bush variety of remarkable vigor and freedom from rust. The pods are meaty and well filled, thick, then young and semi-round later; a very desirable variety.

Currie's Rust Proof Wax. An excellent Wax Bean in every respect. Rust proof, tender, thick flat pods of very good quality. Very little string in early stages, developing a little when nearing maturity. Fit for table use 47 days after planting.

Currie's Rust Proof Wax. An excellent Wax Bean in every respect. Rust proof, tender, thick flat pods of very good quality. Very little string in early stages, developing a little when nearing maturity. Fit for table use 47 days after planting.

Pencil Pod Black Wax. Pencil Pod Black Wax grows a taller, stronger and more vigorous bush than the Improved Prolific Black Wax, which is one of its parents. The other parent is the Round Pod Refugee or Thousand to One, and from this latter source the Pencil Pod Black Wax gets much of its vigor, hardiness and productiveness, and its long, slender, straight, handsome pod, shaped very much like a pencil.

Refugee Wax. A perfect Refugee with Wax pods. Pods long, round, and of a golden yellow color. One of the earliest, quality excellent, and is fit for picking 57 days from planting. A very fine canning bean.

Wardwell's Kidney Wax. Hardy and productive, pods long, broad, thick, flat and of a delicate waxy yellow, of excellent quality and with no string in the early growth, ready for table 48 days from planting. Hodson Wax. The creamy-white flat pods are six to seven inches long, by three-eighths of an inch wide. The pods are late in maturing and are unusually free from blight or rust.



EARLY RED VALENTINE

POLE BEANS

The pole bean climbs, sometimes needing a little training over any support given to it, be that support the growing corn stalk; rough stakes from the wood lot; bam boo or painted stakes; chicken wire or a convenient fence; supported wires or strings or some porch or trellis. A good practice is to set firmly in the ground every three or four feet each way, poles that are, when set, about six feet. Some time after bunch beans are planted, six or eight beans are planted one inch deep near the base of each stake and later thinned to three or four plants to the pole. One-half bushel of pole beans generously plants an acre, and one pint plants one hundred hills.

The pole bean bears over a longer period than the bunch bean and is generally considered of superior quality, but it requires more labor, longer time to mature, and is more sensitive to adverse climatic and soil conditions. Note that this vine turns only one way around its support.

When too old for use as a green snap bean, use any bean shelled, or still later, when it is hard and dry, it remains equally serviceable.

Kentucky Wonder. Vine vigorous, elimbing real and developed and support in the support.

Kentucky Wonder. Vine vigorous, climbing well and very productive, dry beans, long, oval, dun-colored.

Scarlet Runner. A great favorite, both ornamental and useful.

London Horticultural, or Speckled Cranberry. Beans large, ovate, splashed and spotted with wine red, and of the highest quality, either green or dry.

Red Speckled Cut Short. (Corn Hill.) This is the best sort to plant in hills of corn.

Dutch Case Knife. Vines moderately vigorous, climbing well, but twining more loosely than some and so Dutch Case Knife. Vines m may be used for a corn hill bean.

Dreer's Improved Lima. Also called Challenger Lima, Thorburn's Lima, Potato Lima, etc. This is a bean of rather peculiar shape, being thick and plump rather than flat and oval.

King of the Garden Lima. This is the grand old standard market and family sort, which nothing can displace from public favor.

White Creaseback. This variety is especially valuable for its extreme earliness.

Lazy Wife. Immensely popular everywhere.

Small White Lima, Carolina or Sieva. Very early and productive, pods short, curved, thin, flat, beans white, small, kidney-shaped.

Large White Lima. The large lima is a general favorite.

Worcester Pole...... Early Golden Cluster Wax.....

Brocton Pole...... Golden Champion Wax

Slebert's Early Lima.....

THE SEED SHORTAGE

So urgent has become the European demand for Food due to the war that very frequently their seed crops have had to give way to the growing of such crops as may be utilized for food. In many cases, the majority of experienced employees of the best foreign seed growers have been called to the war, leaving behind only those who are either too young or too old for war services to look after the growing and harvesting of seed crops. This will of necessity mean a lessened production and perhaps a production of some inferior seed. In America adverse weather conditions from planting until harvest time, early frost, anthracnose in beans, etc., joined with the unusual foreign situation to make the seed production for this year much less than normal. Therefore we advise the early buying of seed before some of the varieties wanted are exhausted.

TABLE BEETS

As soon as the soil can be worked in spring sow beet seed in twelve to eighteen inch drills for hand hoeing or eighteen to thirty inch drills for horse cultivation, dropping twelve seed to the foot. Cover the beet seed, which is really a beet fruit containing one or more seeds, one-half inch deep. Later thin the beets to stand five to the foot. Planted April first the early varieties should be marketable June first or the crop may be advanced several weeks by starting under glass and transplanting to the open, first giving the beet tops a severe pruning. Use one ounce of seed to one hundred feet of row, and five or six pounds to the acre. Beets sown in early July should be ready to store in pits or in sand in the cellar when freezing weather begins.



CROSBY'S EGYPTIAN

or six pounds to the acre. Beets sown in early July should be in freezing weather begins.

Crosby's Egyptian Beet. The name of this variety is misleading, as it resembles the Egyptian only in its extreme earliness. They are also more spherical than the Extra Early Egyptian and we think of better quality. One of the best for early planting out of doors.

Crimson Globe. This is one of the finest beets yet introduced. Roots are not large, but very handsome. Round, and a clean, smooth surface. Leaves very small, with slender stems.

Early Egyptian. The well-known early variety. Color, extra dark, shape flat, quality excellent.

Bastians. An extra early variety, much esteemed by market men East and South. Color light.

Half Long Blood. One of the best for winter use. The roots are only half as long as the Long Blood, but weigh as much on account of their thickness. They are always smooth and handsome and their rich, dark red flesh is very sweet, crisp and tender, never becoming woody, even in the exposed portions.

Long Smooth Blood. The standard long late sort. Very dark, blood-red flesh, quality fine.

Early Bassano. A good early variety, similar to Egyptian in shape, but of lighter color.

Swiss Chard, or Silver. Used for its leaves.

Edmand's Early Blood Turnip. The best sort for general crop. In quality one of the finest, exceedingly dark, shape globular, having only one tap root. Very popular with market men.

Detroit Dark Red Turnip. Quality good, sweet and tender; color deep red; roots are turnip shaped, with small tap roots.

Dewing's Early Blood Turnip. A good variety for main crop. Keeps well. Like Edmand's, but lighter color.

Lentz Turnip. Of similar size and shape to the Bastian Turnip; top small. Early and profitable.

Early Eclipse. A very early maturing beet especially desirable for the home garden. Top of medium size. Root nearly globular, with a small tap and small collar. Flesh bright red, zoned with white, very sweet, crisp and tender, especially when young.

MANGEL WURZELS

Mangel Wurzel, called also stock beet, or cow beet, is a very large beet growing mostly above the ground and all stock eats it greedily. Plow the soil for it deeply and in May or June, plant six Mangel seed to the foot in two to three foot rows, later thinning to a ten inch stand. One ounce sows generously one hundred feet of row, and an acre requires five to six pounds. When a light frost has occurred, lift the roots, store in pits or cellars and the mangels are soon ready for feeding.

Long Red. A large, long variety grown for stock feeding. It stands up well above the surface; color light red;

flesh white and rose colored.

Yellow Globe. Globular shaped roots. More productive than Long Red in shallow soil. Very nutritious and a good keeper.

Golden Tankard. Shape cylindrical, color deep rich yellow, flesh yellow circled with white. Unequaled for feeding stock.

Norbiton Giant Long Red. Very large, excellent va-

riety for feeding stock.

Orange Globe. We think this one of the best varieties of mangel wurzel.

SUGAR BEETS


The Sugar Beet, grown for the manufacture of sugar, and frequently used for stock feeding, is a yellowish white beet, smaller than the mangel, but containing a much greater percent of sugar. In growing the sugar beet is treated like the mangel, except that only six or eight inches of space is given each beet in the row.

Vilmorin's improved Sugar. In general the most desirable beet for the factory is the one containing the largest percentage of sugar. In this variety we have one of the richest beets in cultivation.

Klein Wanzleben. A little larger than Vilmorin's Improved, yielding from twelve to eighteen tons per acre, and containing about the same amount of sugar. It grows below the surface, and the green leaves are rather large and spreading, with wavy edges.

Lane's Imperial Sugar. Good for making sugar, also ock feeding. A hardy and productive sort. Yields fourstock feeding. A hardy and productive sort. Yields four-teen to sixteen tons per acre, and contains about 16 per cent of sugar.

Giant Half-Sugar. This unites the large size of the mangel with the greater feeding value of the sugar beet. The roots average ten to twelve inches, and the outline is that of a broad, thick wedge. The upper portion is of a soft bright pink, shading lighter toward the bottom where the lower portion for about one-third the length is white is white.



CARROTS

The carrot, whether used raw, fried, boiled, or stewed; used alone or combined with other vegetables or meat, is not surpassed in nutritious healthfulness by any other vegetable catalogued. Plant carrots in the latitude of Chicago from the time the soil can be worked in Spring till July I in one to two-foot rows for hand cultivation, or in thirty-inch rows where a horse-drawn tool is used. Use one ounce of seed to one hundred feet of row, three or four pounds to the acre, covering one-half inch deep, and later thin to a four-inch stand. To cultivate the rows at an early date sow radish seed, which germinate quickly, with carrot seed, which germinate slowly. Do not overlook the value of this crop as a stock food.

an early date sow radish seed, which germinate quickly, with carrot seed, look the value of this crop as a stock food.

Early Short Horn. A fine early variety, good for home use. Eastern market gardeners use this sort for bunching.

Guerande, or Ox Heart. Tops small for the size of the roots, which are comparatively short, but often reach a diameter of 7 inches, terminating abruptly in a small tap root. Flesh, bright orange, fine grained and sweet. This is a desirable variety for soil so hard and stiff that longer growing sorts would not thrive in it. When young, excellent for table use, and when mature equally good for stock.

Chantenay. Tops medium size; necks small; roots tapering slightly, but uniformly stump rooted and smooth; color, deep orange red; flesh very crisp and tender. Although this is a medium early sort, it furnishes roots of usable size as early as any, is a heavy cropper, and is undoubtedly one of the best for both the market and private garden, while its great productiveness makes it very desirable as a field sort.

Danvers. Grown largely on account of its great productiveness and adaptability to all classes of soil. Tops medium sized, coarsely divided. The smooth and handsome roots are deep orange, of medium length, tapering uniformly to a blunt point; flesh sweet, crisp, tender and of a deep orange color. This is a popular field variety, and although the roots are shorter they produce as large a bulk as the longer field sorts and are more easily harvested.

St. Valery. A good late variety Grows long, shape uniform, tapering from a wide shoulder to a point.

Large White Belgian. Grows one-third out of the ground. Root pure white, green above ground, grow to a large size, and are extensively grown for stock feeding.

Improved Long Orange. The most popular of the older sorts for farm use on mellow soil. An improvement obtained by years of careful selections of the best formed and deepest colored roots of the old Long Orange. Roots comparatively shorter than the Long Orange and smoother, but s



DANVERS CARROT

CAULIFLOWER

Cauliflower, while it resembles cabbage and requires very much the same treatment as outlined under and for cabbage, is not so hardy as cabbage, needs more water, needs more cultivation and requires generally treatment superior to cabbage. Cauliflower cannot be expected to mature satisfactorily in hot, dry weather, and as it requires one hundred ten to one hundred fifty days for different varieties to mature, its planting should be correctly timed. Start cauliflower under glass or where cabbage plants can be wintered, winter cauliflower. One ounce gives two thousand five hundred plants and one-fourth to one-half pound of seed plants an acre. When the head or heart of cauliflower, as you may think or feel of it, called the "curd," appears, tie the outer leaves over the head or pin these leaves with wood pins or beef skewers so the leaves will shade and blanch the curd and then cut the curd before it starts to branch. Remember that all the enemies of cabbage emphatically attack cauliflower and are to be combated in a like manner.

Early Snowball. The leading cauliflower in all sections, and unquestionably the purest strain of cauliflower seed to be had. Heads uniform, of desirable market size and of snowy whiteness. After seven years' competitive tests it is pronounced by expert cauliflower growers to be the best for both early and late planting.

Large Algiers. A valuable late sort sure to head, of the best quality, and very popular with market gardeners everywhere. Plant large, but of upright growth, the leaves protecting the heads so that they will endure uninjured a frost that would ruin other sorts. One of the very best of the late sorts.

Press celery seed into the ground, do not try to cover it, and when seed is kept wet and not above 60° F. germination occurs in ten to twenty days. Celery needs four to five months from seed to use, so very early celery should be started in hotbeds after January, and when two inches high transplanted or thinned to a space of two inches. Later trim the tops to produce stocky plants and when five inches high set and when five inches high set where plants are to mature, first trimming off one-third of the roots and leaves. Celery seed may be planted out of doors north of the Ohio in April and treated as outlined above. Given sufficient water, celery can be grown on any good garden soil and one ounce of seed gives above 6,000 plants. plants.

When almost grown, celery must be blanched; that is, the light is excluded from the edible stock by

CELERY



Golden Self-Blanching. The best self-blanching sort. It acquires a handsome golden color without having to be hilled up, which makes it a valuable market sort.

White Plume. A good self-blanching sort, good for fall use, but does not keep well.

Giant Golden Heart. This variety attains a large size, but still remains crisp and tender. It is a fine keeper and is the favorite on the Chicago market.

Kalamazoo. This is the variety used by the celebrated celery growers of Kalamazoo, Mich., and is of great merit

A finely flavored, good keeping sort, hardy and solid.

Crawford's Half Dwarf. The favorite variety in eastern markets; a good keeper of vigorous growth.

Pink Plume. Similar to White Plume, but having stalks suffused with pink.

Giant Pascal. This is the best keeper of all of the late sorts; very solid and crisp. This variety is unsurpassed for market garden.

Winter Queen. It has the strong, robust growth of the Giant Pascal, but the plants, being only of medium height, are of better length for bunching for market as well as more desirable for serving on the table.

Evan's Triumph. One of the best late sorts.

Boston Market. For many years one of the most popular sorts in the markets of Boston.

GERMAN CELERY OR CELERIAC

Large Smooth Prague. Has a large smooth root, and is the finest of all celeriac,


Apple Shaped. Not as smooth as the above but of good form. Turnip Rooted. This is the ordinary and well known variety.

CABBAGE

Cabbage grows successfully on a wide variety of soils and experience points to liming, deep plowing and heavy

Cabbage grows successfully on a wide variety of soils and experience points to liming, deep plowing and heavy manuring as successful practices.

Cabbage plants when properly hardened by gradually being brought to a low temperature and the quantity of water in them diminished will stand any frost and some considerable freezing. Yes, a cabbage plant raised at a high temperature and full of water will be killed by even a light frost. Cabbage can be grown by planting the seed heavily where the crop is to grow and thinning the plants, but a better practice is to raise the plants without crowding in a seed bed, which is not richer than the field to which the plants go and transplant, if possible on a cloudy day, watering the plants if the soil is dry. South of the Ohio seed is frequently planted out of doors in September and wintered in cold frames or in very southern localities the plant is Fall set on a shady side of the furrow to avoid as much as possible the deadly freeze and thaw. For early cabbage north of the Ohio, sow seed in hot beds in February, transplant to cold frames in March, and set outside in April, or sow seed out of doors as soon as the soil can be worked in spring, covering the seed one-third inch deep. All vegetable plants are best when grown without check, so let as much soil adhere to the roots of the plant in transplanting as will hold, and set up to the first leaf. At this time the plant should have four to five pairs of leaves and be four to six inches high. Set small varieties to be worked by hand as close as eighteen inches each way, while large late varieties, horse cultivated, need thirty or more inches each way. A convenient setting for Wakefield Cabbage is eighteen inches apart in thirty-inch rows. Seven out of eight heads can be counted upon to mature, and if yourself or the market is cabbage hungry, cut when the hearts are soild. Germination occurs in four to ten days, and cutting of well-grown early cabbage begins frequently in sixty days from transplanting. One ounce of seed will r



EARLY JERSEY WAKEFIELD

Early Jersey Wakefield Cabbage. The most popu-lar of the pointed head varieties, Exceedingly early, a good cropper, heads

early, a good cropper, heads of good size, solid and uniform.

Early Spring Cabbage. The earliest flat head, nearly as early as Jersey Wakefield. Yields more than the early pointed heads. Solid, uniform and finely grained heads.

Early Winningstadt. An early pointed head variety of excellent quality, not as early as the Wakefield but larger.

larger.

Henderson's Early Sum-mer. A standard summer variety. Heads large and

variety.
solid.
Fottler's Early Brunswick. An early fall variety,
well known and popular.
All Head Early. One of
the finest early flat-head

All Head Early. One of the finest early flat-head cabbages. Early York. A standard pointed head variety, sec-ond early. Early Dwarf Flat Dutch. An early cabbage of good size. Heads are flat and very solid.

Henderson's Succession.
A good summer cabbage;
also makes a good cabbage
to succeed itself.

All Seasons. A fine variety for any season, a good shape and size.

Volga. One of the earliest main crop cabbages of superior quality. Very desirable where a large, uniformly round head with short stem and compact growth is wanted.

Early Drumhead. This popular variety follows the Faultless in heading and is one of the most valuable varieties.

Early Drumhead. This popular variety follows the Faultless in heading and is one of the most valuable varieties grown.

Louisville Drumhead. This fine cabbage is very popular with the kraut makers. It is a medium late variety. Faultless Cabbage. The favorite second early cabbage. The product of this seed outsells any other second early cabbage. It can be marketed in the early summer, during midsummer, in the fall and early winter, making it the best all purpose variety.

Glory of Enkhulzen. This is an excellent mid-summer variety. It comes in about a week earlier than All Seasons, makes a nice large head, has few outer leaves and can be planted close. Our tests show it to be worthy of a place among the new varieties of merit and we can recommend it as a good addition to the list.

Copenhagen Market. A new early variety, popular with market gardeners. It is one of the finest early roundheaded cabbage in cultivation. It is desirable on account of the remarkable characteristic of maturing the heads all at the same time, enabling the grower to gather his crop with less expense and permitting the cleaning of the land at the first cutting.

The kitchen gardener or critical market man who wants a quick and even maturing cabbage that resembles Danish Ball Head will find Glory of Enkhuizen and Copenhagen Market unquestionably the best.

CABBAGE



PREMIUM FLAT DUTCH

Cabbage Seed is one of the things that requires care in the selection. Price should be held in minor importance compared with quality. The best is always the Cheapest.

The Lupton. The Lupton Cabbage is the result of an effort to combine in one variety the best qualities of the secondearly and the late sorts. It is a little earlier than any one of the various strains of Flat Dutch and Drumhead.

Premium Flat Dutch. This variety of late cabbage is a standard in all sections for winter use. It makes a large solid head which keeps long without bursting, and is adapted to a more varied climate than probably any other variety we grow.

Improved American Savoy. Closely approaching the cauliflower in delicacy and delicious flavor. The best of all the Savoys for general market or home use. It has a short stump, grows to a large size, is compact and solid, and is a sure header.

Mammoth Rock Red. The largest heading of any red sort. Heads are hard, of deep red color, quality

excellent.

Red Drumhead. The standard pickling variety. A good keeper.

Prairie Winter Cabbage. This new cabbage is a direct cross of the Luxemberg and the Holland and combines the good points of both. It has the shorter stem and more lasting color of the Luxemberg with the rounder head of the Holland. The combination gives a cabbage that is superior to either.

Large Late Drumhead. A late variety of large size.

Sure Head. A fine variety for main crop. A good shipper and sure header.

Stonemason Drumhead. A late large heading variety; but not as fine grained as others.

Marblehead Mammoth. A large late variety of fairly good quality.

Danish Ballhead Cabbage. For a winter cab-bage for early spring some gardeners consider this variety excellent. It has been selected and perfected for more than fifty years by the Danish gardeners, who prize it so highly that they grow it almost exclusively for winter cabbage, and annually export large quantities of it. It is hard heading, and long keeping cabbage. Heads round as a ball, solid, fine grained, has few outer leaves, tender, crisp and of unexcelled flavor.

Holland. The favorite winter cabbage with market gardeners. It is as hard as a rock, and a small head will weigh as much as a large head of any other variety. The leaves lap over and make a head in which there is no waste.



HOLLAND WINTER CABBAGE

SWEET CORN

Plant corn every two weeks for a continuous supply and north of the Ohio from late April to late July. Plant corn in three or four foot drills, dropping a grain every eight to sixteen inches, or plant in hills three or four feet each way, giving six grains to the hill and later thinning to three stalks. Corn should be planted about one inch deep, planted deeper in sand than in heavy clay; planted deeper later in the year when the soil is warm; dwarf varieties closer together than the larger ones and a given quantity of seed of a small grained variety plants a larger area than does a like quantity of the large grained. One quart generally plants two hundred fifty hills and one peck is necessary to the acre. Sixty-five days is a short time to maturity. Plow deeply for corn, cultivate shallow and pick corn before it is too old. If the goodness of new corn tempts a too early planting, do not blame the resulting failure on your seedsman.

Mammoth White Cory. The ears are twelve rowed, white cobbed, and covered with very large white grains of good quality.

Early Cory Red Cob. This variety is the favorite for first early, and no other variety has proved earlier.

White Cob Cory. This is an improvement over the Early Cory, as the cob is white, which gives it a finer appearance. It is as early as the Early Cory and of excellent quality.

Chicago Market or Ballard. This is the largest and best early corn in existence, twelve rowed, white cobbed and of exceedingly fine quality.

quality.

Premo Sweet Corn. A "sixty-day" sweet corn, and is thus described by the originators: "It not only combines all the merits of the leading early varieties, but it is also really superior to them all in size, quality and yield. Premo can be planted fully as early as the Adams for the young plants withstand slight frosts."

Extra Early Adams. This is an extra early field variety, but is much used as an early market variety, being sweet and juicy.

Early Minnesota. One of the standard early sorts. Ready for market two weeks later than Cory or Chicago Market.

Perry's Hybrid. An early variety of splendid quality. Kernels tinged with pink when ripe, with white cob.

New Champion. This corn is unsurpassed for market use, owing to its large size and fine appearance. It is medium early.

Golden Bantam. A very early sweet corn with golden yellow grain, very tender and of excellent quality.

Stowell's Evergreen. A standard variety for main crop; well known and popular.

and popular.

Moore's Early Concord. A well known, early variety of large size, twelve rowed and of excellent quality. This makes a fine market

Corn.
Kendall's Early Giant. A valuable early sweet corn.
Crosby's Early. An early corn of large size and choice quality. It has long been a standard variety.
Metropolitan. A new early sort, only a few days later than Cory.
Country Gentleman. There is no sweet corn that compares with the Country Gentleman for sweetness.
Black Mexican. This corn, when in condition for the table, cooks remarkably white; but the ripe grain is black or bluish-black.
Old Colony. This variety is two weeks earlier than the Evergreen, and almost as large.
Early Evergreen. The ears of this new corn grow 8 inches long, are mostly 14 to 18 rows.
Zigzag Evergreen. This fine new strain possesses distinct characteristics.
Mammoth Sugar. A large late variety having ears of mammoth

A large late variety having ears of mammoth Mammoth Sugar. size, 14 to 20 rows.

LEONARD'S NARROW GRAIN EVERGREEN

A new type of Evergreen bred up by S. F. Leonard after years of selecting. It is as large as Stowell's, more uniform in shape of ear, has longer, narrower grains, more sugar and less starch. The best corn for canning or marketing.

CUCUMBER

CUCUMBER

Not before corn planting time plant cucumbers out of doors in drills or hills one-half inch deep. The crop may be advanced two weeks by starting in the hot bed or greenhouse on inverted four-inch sods covered with leaf mold. The plant will appear in four to eleven days and in three weeks from seeding, when the plant has two to four leaves it is ready to transplant outside.

Mark the field up and down hill, then furrow across its face in a four-foot check and at each intersection drop manure or fertilizer or, better, both. Throw earth to, this intersection to form an elongated hill four inches high. Plant the seed like a short drill, not haphazard; then later two strokes of the hoe cleans this short drill.

Be generous. Use a dozen seed to a hill, and after the striped beetle has his toll, thin to three plants to a hill. To check the beetle, use on foliage, but not too heavily, road dust, ashes, soot, air slaked lime, bone flour, tobacco dust, or arsenate of lead; pull earth about the stem or cover the hill with netting.


Cultivate as long as possible. Cut the cucumbers. Do not pull or bruise them and to keep the plants bearing, cucumbers must not be permitted to ripen.

Chicago or Westerfield Pickling. A variety esteemed above all others by Chicago market gardeners, and extensively grown for the large pickling establishments in this vicinity. Fruit medium length, pointed at each end, with large and prominent spines. Color a deep green. It combines all the good qualities of an early cucumber.

Green Prolific or Boston Pickling. A favorite with pickle growers and commercial gardeners, and good for table use. Quite productive. Fruit small, uniform in size.

Early Gluster. Vines vigorous, producing the bulk of the crop near the root and in clusters. Fruit short, uniformly thick end, dark green, but paler at blossom end. A very productive sort.

Early Frame or Short Green. An excellent sort both for table use and for pickling. Fruit straight, handsome, smaller at each end, bright green; flesh tender and cr



CORN SALAD

Fetticus, or Lamb's Lettuce. This small salad is used during the winter and spring months as a substitute for lettuce, and is also cooked and used like spinach. In warm weather the plants will mature in four to six weeks. Sow the seed in shallow drills about one foot apart. If the soil is dry it should be firmly pressed over the seed in order to secure prompt germination. On the approach of severe cold weather, cover with straw or coarse litter. Like most salad plants, greatly improved if sown on very rich soil; indeed, the ground can scarcely be made too rich for them.

CORN SALAD **CRESS**

Truc Water Cress can be easily grown by sowing the seed broadcast on garden soil and keeping the soil very wet till the plants are big enough to transplant to shallow indentations about five inches deep here and there along the sides of a clean flowing stream. There it will continue to spread by the lengthening of its roots, also by reseeding and requires no further care. The crop can be grown to maturity in wet garden soil, or the seed can be sown directly to the mud along the stream, but with lesser measures of success. April or September is a good time to plant these minute seeds, and this aquatic prefers to stand with its roots and most of its stems submerged. Cutting can begin in about sixty days, and a little later frequent cutting, using a sharp knife, will stimulate plant growth.

Curled or Pepper Grass, a pungent, quick-growing plant that poorly parodies the water cress flavor, can be grown in any garden soil as soon as the ground can be worked. Plant one-half inch deep in one foot rows, thinning the plants to four inches.

COLLARDS

Georgia, Southern or Creole. A variety of cabbage known in different sections as "Cole," "Colewort," or simply "greens." It is extersively used in the south, where it continues in luxuriant growth all winter.



TRUE WATER CRESS

CHERVII.

A hardy annual, worthy of more general use for flavoring and garnishing.

Sow in early spring in rich, well prepared soil, and when plants are well established transplant to about one foot apart.

Curled. Greatly superior to the old, plain variety, being earlier, more handsome, and having fully as fine

perfume and flavor

CHICORY

Witloof Chicory The principal merit of this variety consists in the width of its leaves and the large size of their ribs. When blanched, it forms the vegetable which the Belgians call Witloof. When properly grown and blanched it resembles a head of Cos Lettuce.

Large-rooted, or Coffee. Our stock is the improved type, with very much larger, smoother, whiter and proportionately shorter roots than the old kind. The dried and prepared roots are used quite extensively as a substitute or adulterant for coffee.

CARDOON

(CARDO)

Smooth Solid Cardoon. Grown from the mild ribs of the leaves which are blanched and used in the same manner as celery. The main root is also used and when cooked in a proper way, is excellent. Thorough blanching is necessary in order to bring out the delicacy of flavor possessed by the Cardoon.



EGG PLANT

DANDELION

Cultivated or French Common. This is considered the best by many and is not at all the same as our wild dandelion, being greatly improved by careful selection.

Improved Thick Leaved. One of the earliest and best greens in cultivation.



WITLOOF

EGG PLANT

Treat the egg plant like a tender tomato that required even a longer period to mature. After cabbage plants are out of the hot-bed or greenhouse, which is April north of the Ohio, sow egg plant, keeping even the night temperature above seventy degrees. One ounce of seed gives two thousand plants, and one pound plants an acre. Transplant later to pots or to a three or four inch stand, and when corn is shoe high, put egg plant outside on rich well drained land. Set the plants two feet apart in four feet rows, shading or watering the plants if it's sunny or dry. Use any good stomach poison for the potato bug when he attacks the egg plant.

Improved New York Purple Spineless. Very large and smooth, fine dark color. Ours is the spineless plant, most preferred by our market gardeners, both east and west.

Black Pekin. A fire variety, hearing large round deep purple fruits fine

Black Pekin. A fine variety, bearing large, round, deep, purple fruits, fine grained, and of superior quality.

Early Long Purple. Early, hardy and productive; excellent for the table.

ENDIVE

Endive, or winter lettuce, used as a salad, as greens or garnishing, is usually planted one-fourth inch deep in a seed bed in mid-summer, and when convenient after a month transplanted to stand one foot apart in eighteen inch rows. When almost grown and about two weeks before ready to use, it is blanched by tying the leaves together with soft cord, or the blanching is by turning a flower pot or tile over each plant, or by blanching with earth, like celery. The blanching removes the green plant's acrid taste. The plant may be, but seldom is, used as an early spring crop. Three to five pounds of seed plants an acre.

Green Curled. Beautifully curled, tender and crisp.

Moss Curled. More finely curled, and a heavier and more dense plant than Green Curled.

White Curled. Very tender when cut young; blanches readily.

Broad-Leaved Batavian. (Escarrole.) This variety is chiefly used in soups and stews; requires to be tied up in blanching.

AROMATIC, MEDICINAL AND POT HERBS

Most of the varieties thrive best on rich sandy soil, which should be carefully prepared and well cultivated, as the young plants are for the most part delicate and easily choked out by weeds. Sow as early as the ground can be made ready, in drills sixteen to eighteen inches apart, taking pains that the soil is fine and pressed firmly over the seed; or they may be planted as a second crop, the seeds sown in beds in April, and the plants set out in June. Most of them should be cut when in bloom, wilted in the sun and thoroughly dried in the shade.

Saffron Savory, Summer..... Thyme

KALE OR BORECOLE

In Virginia, kale planted in late August has some of its plants thinned out and sent to market within sixty days and the cutting then continues until the field is clean in April. Further north, kale is treated like the cabbage; that is, planted early in spring in hot beds or out of doors, and it is used in the fall when light frosts have improved it. Kale is sown in two to three foot drills and thinned to six to twenty-four inches, according to varieties. One ounce sows generously one hundred yards and four pounds plants an acre.

Siberian Kale, or Winter Sprouts. This is also called German Greens and is sometimes sold for Dwarf Green Curled Kale, but it is not as curly as the Dwarf Curled Kale and is different from it in color. The leaves are smooth in the center, having a fringed edge. Color has a bluish tint, not the deep green of the Dwarf Curled Kale.

a bluish this, not sake Kale.

Dwarf Green Moss Curled. Leaves yellowish green, very compact and beautifully curled; sow in September for winter and early spring use.

Dwarf Curled Scotch. Leaves bright green, curled, very tender and fine flavored; an excellent sort for private



DWARF CURLED SCOTCH KALE

KOHL-RABI

This relative of the cabbage, that looks like a turnip that grew above the ground, can be treated very much as either cabbage or turnips. One ounce sows one hundred yards and four pounds plants the acre. Sow in eighteen to twenty-four inch rows, thin to four inches apart and use for the table when small. Like the turnip, we cannot expect good kohl-rabi in the summer heat, but a planting made about August first north of the Ohio will give a crop for winter storage. Do not overlook the value of this plant as a stock

Earliest Erfurt. A white tender variety, with a smooth root and very short top; the best variety for outdoor culture.

Early Short Leaved White Vienna. The finest for market. Flesh white and tender.

Early Purple Vienna. Bluish purple; similar to the above, except in color. Large Green. Hardy, quite late, and used for feeding stock. Bulbs large, weighing 8 to 10 pounds, whitish green in color; leaves large and numerous.



This mild member of the onion family is used in soups and salads. Sow one ounce to one hundred feet of row or four or five pounds to the acre one-half inch deep, as early as the soil can be worked in spring. Thin the plants to a stand of four to six inches in the twelve to eighteen inch rows. It is advisable to throw earth to the plant to blanch it, very much as celery is blanched.

Large American Flag. Large, hardy and of excellent quality.

Glant Carentan. The favorite market variety, large, thick stem, of mild Glant Carentan. The favorite flavor and attractive appearance.

Musselburgh. Grows to a very large size, with broad leaves, spreading like a fan; hardy, of excellent quality.

London Flag. An old and popular sort; one of the hardiest and best for



LETTUCE

As lettuce will stand considerable freezing, it may be seeded or transplanted out-of-doors as soon as the soil can be worked in spring. For a succession, replant every three weeks til; within sixty days of freezing weather. The soil cannot be made too rich and this crop must be grown quickly and unchecked to be of superior quality. North of the Ohio lettuce is frequently started under glass like cabbage in hot beds; in February transplanted to cold frames and hardened to be set out-of-doors in early April. In more southern or milder winter climates, lettuce may be sown in autumn, protected with sash or coarse litter and in late winter transplanted; or thinned and matured where planted. When the crop is matured under glass it requires much ventilation and little heat, and beware of too much water in cloudy weather. In the summer's heat canvas or a slatted half shade and plenty of water is of value. One ounce of seed gives two thousand plants and three pounds plants an acre. In the seed bed drop twenty-five seed to the foot, and gently rake it in; failure may result from too deep a covering. Mature lettuce in twelve to eighteen inch rows, giving the loose leaf varieties three to eight inches in the row and head lettuce six to twelve inches.



BLACK SEEDED SIMPSON

Black Seeded Simpson. This is the most popular early sort on the market. Forms large, loose heads. Leaves thin and exceedingly tender, of light green to golden yellow. Best sort for forcing or outdoor early planting.

Early Curled Simpson White Seed. Forms a close, compact mass of curly yellowish green leaves. Good for cold frames or early planting for outdoors.

Grand Rapids Forcing. Preferred by a great many to the Black Seeded Simpson, on account of being a tougher leaved lettuce. This makes it a fine sort for shipping, as it does not break so easily and stands longer without wilting.

Paris White Cos. The Cos lettuce differs entirely in shape from the other varieties. the head being elongated and of conical form, eight or nine inches in height, and five or six inches in dlameter. To be had in perfection it requires to be tied up to insure blanching.

Early Curled Silesla. A very tender sort, with fine curled leaves.

Boston Curled. Curled leaves of good quality, a popular variety among eastern growers.

growers.
Prize Head. The leaves are very large crimped, bright green tinged with brownish-red and are exceedingly tender, crisp and sweet, forming a large, loose head.

Hanson. Heads large, hearts quickly and stands the summer well; quality excellent.

New York. The large white heads resemble cabbage in their solidity, and frequently weigh two and three pounds each. The quality is superb, being crisp, rich and tender. It withstands the heat well, making a fine variety for all seasons.

The Deacon. A magnificent butter head lettuce. It stands the hot weather without becoming bitter or running to seed, and bears fine, large heads of superb quality. Light green outside, and within a beautiful cream yellow of delicious rich, buttery flavor. Highly recommended for home or market use.

Early Tennis Ball, White Seed. A good early sort, and used largely by eastern gardeners for forcing.

Early Tennis Ball, Black Seed, A good lettuce for early use. The heads are small, but very crisp and solid.

California Cream Butter. A grand, good butter lettuce, heads are of good size, round and solid; outside, medium; within, the leaves are a rich cream yellow color. Rich buttery in taste. Rich

All Seasons. One of the best all head lettuces, standing the hot sun better than any other sort. Slow to seed.

May King. Plant this lettuce for the first early head lettuce.



BIG BOSTON



HANSON

It is equally good for outdoor planting or forcing. The outer leaves have a slightly brownish tinge, while the heart is a beauti-ful yellow, very crisp and tender.

ful yellow, very crisp and tender.

Big Boston. This variety is identical in color, shape and general appearance with the famous Boston Market Lettuce, but is double the size. It is about one week later in maturing, but its solidity and greater size of head will make it a most valuable sort. A most desirable variety, either for forcing in cold frames or open ground planting.

St. Louis Head. The most popular and satisfactory head lettuce with market gardeners. It forms a fine head, is tender and crisp, and is very slow to run to seed. Outer leaves are light green, and the inner ones are bright, creamy yellow, of a very fine flavor. Altogether, we recommend it as being the best head lettuce for general use.

Hubbard Market. A large heading variety, good for either forcing or sowing in open ground.

MUSK MELON

Musk melon, water melon, cucumbers, gourds and squash are known as cucurbits. For musk melon follow our cultural directions for cucumber except that where a robust growing variety of musk melon is grown, a space of as much as six by six feet is sometimes required between hills. One ounce of seed plants fifty hills, and three pounds plants an acre. The crop or the last planting for a succession should be in by June, north of the Ohio. While not necessary, it is advisable to pinch off the branches of the musk melon if a quicker matured or a larger or a better fruit is required. Pick the melon when it parts from the stem without difficulty and store a few days in a cool room.



Rocky Ford. This has become one of the most popular of small or crate melons and is shipped in large quantities from Colorado and Arizona. The vines are vigorous and productive. The fruits are oval, slightly ribbed, densely covered with fine netting. Flesh green, very sweet and highly flavored.

Sweet and highly havoled.

Chicago Market. This we consider the best Nutmeg for earliness of maturity, large and uniform size, thickly netted skin, small seed cavity, deep green flesh, juicy delicious flavor and freedom from rot. A favorite with all who prefer a green flesh sort. all who prefer a green flesh sort.

Jenny Lind. Vines rather small but vigorous and productive. Fruits small, somewhat flattened, deeply ribbed and well netted. Flesh green and exceedingly sweet.

Skillman's Netted. An excellent early melon with fine,

Skillman's Netted. An excellent early melon with fine, tender flesh.

Netted Gem. The best early melon known. Shipped to every market of note in great quantities every year. Medium size, but of excellent flavor.

Early Hackensack. The fruits are nearly two weeks earlier than Hackensack, medium to large sized, nearly round or somewhat flattened, evenly and deeply ribbed and with very coarse netting. The skin is green, slightly tinged with yellow as the fruits mature. The flesh is green, a little coarse but juicy and sweet.

Hackensack, or Turk Cap. A very large, green fleshed melon. The vines are hardy, vigorous and productive. The fruits are nearly round, usually somewhat flattened; ribs large and of irregular width, densely covered with coarse netting.

netting.



EARLY HACKENSACK

THE OSAGE MUSK MELON

Paul Rose. A yellow fleshed sort of suitable size for a crate melon and of excellent quality. Vines vigorous and productive. Fruits oval, slightly ribbed and densely netted.

Emerald Gem. A very early, yellow fleshed melon small to medium size. One of the very best for the home garden.

Burrel Gem. This is an orange fleshed netted Gem or Rocky Ford.

or Rocky Ford.

Tip Top Musk Melon. The illustration shows a specimen of our strain of this popular melon. This very productive melon is of medium to large size, nearly round, slightly ribbed and fairly well covered with shallow netting. The flesh is deep yellow in color. The universal testimony of every one using Tip Top is that every fruit produced, whether big or little, early or late in the season, is a good one—sweet, Juicy, finest flavor, firm, but not hard-fleshed, eatable to the very coating.

Baltimore, or Acme. The fruits are medium sized, oval or long oval, slightly pointed at stem end, slightly ribbed, and are covered when ripe with coarse netting. The flesh is thick, green, well flavored and sweet. This variety is a very productive, sure cropper flavored and sweet, of good quality.

The Osage. Is of medium size, oval in form, dark green in color, somewhat netted and slightly ribbed. The flesh is extremely and uniformly thick, of firm texture, rich salmon in color; highly flavored and delicious to the rind. Cavity very small. It is a remarkable keeper and a good shipping melon.



TIP TOP MUSK MELON

WATER MELON


For water melon, follow our cultural directions for cucumbers, except that it is necessary to give the water melon a space of eight to ten feet between hills, and thin the plants to two to the hill. One ounce plants twenty-five hills and three pounds of seed plants an acrc.

Sweetheart Water Melon. This melon is early, large, handsome, heavy and productive. The shape is oval and the color mottled light to a very light green. Flesh bright red, solid, but tender and

Florida Favorite. A very large, long melon mottled dark green with stripes of lighter shade. Rind thin but firm; flesh very bright, deep red, very sweet, tender and excellent.

Cole's Early. Very hardy, a sure cropper and extremely delicate in texture of flesh, which is of dark red color; rind is thin and extremely brittle, hence not desirable for shipping purposes, but possessing all the other most desirable features. We highly recommend it for home use.

Kleckley Sweets. A splendid sort. Vine vigorous and productive. Fruit of medium size; oval, dark, mottled green in two shades, forming indistinct stripes.



SWEETHEART WATER MELON


Gypsy, or Georgia Rattlesnake. One of the largest varieties and stands shipment long distances. Fruit cylindrical, square at the ends, smooth, distinctly striped and mottled light and dark green. Flesh bright scarlet and very dark green. sweet.

sweet.

Ice Cream. Medium sized with very sweet, scarlet flesh. A good variety for main crop. Kolb's Gem. Vines of medium size, but remarkably vigorous and healthy.

Tom Watson. Originated near Augusta, Ga., a few years ago; very prolific—six carloads on ten acres often made; shape long; color dark, deep green; no stripes.


Vick's Early, Peerless, Triumph, Dark Icing, Jumbo, Cuban Queen, McIver's Sugar, Dixie, Duke Jones, Red Seed Citron, Light Icing, Bradford, Phinney's Early, Green Seed Citron, Mountain Sweet, Halbert Honey, Success, Iceberg. bera.



For the money invested, no more profitable crop, Once started, it is easy to continue. The supply never equals the demand, so that a market is easily secured.

English. 1 lb. Bricks,





KLECKLEY SWEETS

MUSTARD

Mustard is grown for its seed, which is used for flavoring or medicinal purposes or grown for its leaf, which is used in salad or cooked like spinach. Sow mustard as soon as the soil can be worked in spring and every three weeks for a succession, or in the south it may be sown in the fall for early spring greens. Cover the seed lightly in twelve to eighteen inch drills. Cut the leaf when not over four inches high and expect this cutting in fifty days from the seeding.

Glant Southern Curled. The favorite of the south.

Fordhook Fancy, or Ostrich Plume. Same as above. Chinese or Large Leaved Mustard. The large leaves which often measure 14 inches, are ready for use in about six weeks after sowing. Plants will continue to yield until frosty weather. Leaves are eaten boiled, like spinach.

Bloomsdale, Large Leaved. Same as the Chinese Mustard described above

White. Best for general use. Brown. Stronger than above.


NASTURTIUM

Tail Mixed Garden. Grown not only for ornament but the beautiful orange colored flowers and foliage are used for garnishing and the young leaves or shoots are excellent for salads. The green seed pods are greatly esteemed by many for use in mixed pickles.

Dwarf Mixed Garden. Same as above, except that it grows in dwarf form.



SPECIAL GLOBE ONIONS



RED GLOBE

WHITE GLOBE

VELLOW GLOBE

Our three Globes bring more money to the onion grower and sell quicker than any other varieties. Our Yellow Globe is the Standard Yellow, our Red Globe is the Standard Red, and our White Globe is the Standard

ite.

These stocks are quite superior to the ordinary run of Southport Globes.

Red Globe. A fine large globe-shaped onion, of mild flavor. It is a good keeper, excellent for main crop.

White Globe. A very handsome onion, of splendid quality. Keeps well. It has a good, strong flavor. The t sort for early green onions from seed.

Yellow Globe. This is a large, handsome yellow variety. Shape, perfectly globular; quality fine. A splendid

keeper.

ONION SEED—Standard Sorts

Study the demands of your market to know what onion that market requires. As soon as the soil can be worked in spring, and not after May 1st, sow onion seed in twelve to fifteen inch rows, leaving out every tenth row as a weed alley if preferred. One ounce of seed plants one hundred fifty feet and five to six pounds plants the acre. The black slow germinating seed should be covered firmly one-fourth inch deep. Quantities of manure had best be applied in the year before the planting, and much commercial fertilizer, high in potash, harrowed in immediately before seeding.

Eggin cultivation as soon as the plant can be seen; cultivate frequently and when convenient thin to a stand

begin cultivation as soon as the plant can be seen; cultivate frequently and when convenient thin to a stand of two to four inches.

In the so-called new onion culture the onions are started in hot beds and easily transplanted when the size of slate pencils to the required stand in the field.

Large Red Wethersfield. We have a very fine and select strain of this sort. Color is deep purplish red, flesh white, moderately grained and very firm. Yields an enormous amount per acre, and is one of the best winter keeping onions.

Extra Early Flat Red. This poriety motions form

white, moderately grained and very firm. Yields an enormous amount per acre, and is one of the best winter keeping onlons.

Extra Early Flat Red. This variety matures from ten days to two weeks earlier than the Red Wethersfield. The color is a deep rich red, fine grain and close

Australian Brown Onlon. Is of medium size, wonderfully hard and solid and most attractive for market, both as to form and appearance. The color of the skin is a clear amber brown.

Southport Yellow Globe. A large, perfectly shaped Globe cnion and an excellent onlon for keeping throughout the winter. A very heavy cropper, handsome in appearance and a good dark yellow color.

Yellow Globe Danvers. This fine onion is of large size. An early and abundant cropper. Bulbs very thick, flat or slightly convex bottoms, full oval top with small neck and rich brownish yellow skin.

Michigan Yellow Globe. The bulbs are large and uniformly spherical with very small necks and the largest diameter below the center of the bulbs of a rich orange color.

Ohlo Yellow Globe. An early Globe onion, small neck and very uniform in size and color. Very popular in the marsh-onion sections of Ohio and Indiana.

Southport Red Globe. This is a fine keeper. Large size and considered one of the best red onions. Flesh is fine grained, very mild and tender.

Philadelphia Silver Skin. Very desirable for family use. Flavor mild and pleasant.

White Portugal. American Silver Skin. This is the best sort to sow for onion sets or for pickling. When sown thickly for either it makes a small, round hard bulb.

Southport White Globe. This grows to a very large size and is a perfectly globe-shaped onion. Color is a clear pure white. This variety is used by market gardeners for bunching.

Prizetaker. Grows to an immense size and for fall marketing is unexcelled. Although of such great size, it is very hardy and a fair Winter keeper, as it ripens up hard and firm; very fine grained, and of mild, delicate flavor. The outside skin is rich yellow while the flesh is white. To get the b

ONION SETS



RED WHITE YELLOW

Onion Sets. Should be planted as early in the spring as convenient, to obtain early green onions, but they may be set at any time up to June 1st. Set in rows a foot apart and three to four inches between them in the row. Any good soil will suit them. When grown in quantity, high cultivation is given in order to forward the crop for an early market. They are ready for use as soon as the bulbs begin to be of fair size. Those not used in green condition will ripen early in July and make nice Onions. Potato and top onions are grown from bulbs only, growing in clusters. These clusters are separated and the smaller ones kept for seed. There is no crop which pays better than the first load or so of green onions in the market. Onion Sets will make this crop for you. Why not grasp the opportunity offered. Our Sets are carefully grown and choice; they will give the largest returns for the money invested if the product is sold, or excellent green onions for home use at a time when a fresh green vegetable is needed.

The varieties of Onion Sets are:

Red Bottom Sets
White Bottom Sets
Winter Top Sets
Winter Top Sets
Yellow Bottom Sets
Yellow Bottom Sets
Shallots

OKRA OR GUMBO

The pods of this plant are used in a great number of ways throughout the Southern States, and the plant should be more frequently grown in the north. Plant at corn planting time in rich land, sowing the seed thickly in two or three foot drills, and thinning to an eight to twelve inch stand, according to varieties. A generous planting is two ounces to one hundred feet and ten pounds to the acre. Okra seed may be planted six seed to the hill, two to three feet apart and thinned to two plants to the hill. the hill.

Dwarf Prolific or Density. A fine new variety, much dwarfer than the ordinary dwarf okra, and much more productive. Short, thick pods.

White Velvet Okra. The pods are perfectly round, smooth and of an attractive white velvet appearance; of superior flavor and tenderness.

Tall Green. A favorite at the south; called also Perkins Mammoth Long Pod.

PARSNIP

Plant one-year-old parsnip seed as early as the soil can be worked in spring and do not cover this slow germinating seed deeper than one-fourth inch. Use eighteen to twenty-four inch rows, thinning the plants to a four inch stand. One-half ounce of seed sows one hundred feet and three to five pounds plants an acre. This crop requires the entire season to mature, and as frost improves the roots, they may be left in the ground all winter. Both as to quantities and its feeding values, the parsnip is a valuable stock feed.

Hollow Crown. Roots comparatively short, with a very smooth, clean skin. The variety is easily distinguished by the leaves arising from a depression on the top or crown of the root.

Guernsey. The best sort for heavy, black soils. Where the soil is exceedingly rich this is the variety needed, as it makes a fine shaped root which does not grow too long.



OKRA



CHAMPION MOSS CURLED

PARSLEY

Parsley used for garnishing and for seasoning can be planted as soon as the soil can be worked in spring. Cover the slow germinating seed one-fourth inch deep in twelve to eighteen inch rows, later thinning to a six inch stand. One-fourth ounce sows one hundred feet and three to five pounds plants an acre.

Double Curled. The standard sort for outdoor culture, also highly prized by market gardeners for the greenhouse.

Champion Moss Curled. A very fine curled variety. One of the handsomest for garnishing purposes. The exceedingly curled leaves make it desirable.

Fern Leaved. This sort has a peculiar, fern shaped leaf. It is not so desirable as the more curled sorts.

Hamburg Rooted. The standard rooted sort. The leaves are used for soup, greens, and the roots, when sliced, are much esteemed.

PEAS


As to a superiority between smooth and wrinkled peas it is all a matter of individual taste, but the preponderance of taste is in favor of the wrinkled varieties.

ALL VARIETIES OF PEAS, REGARDLESS OF HEIGHT, MAY BE GROWN SUCCESSFULLY WITHOUT A TRELLIS OR SUPPORT. As peas vary in height from six inches to six feet, it follows that the distances in the row and apart in the row should vary. Dwarf or half dwarf varieties are best planted in double or companion rows six inches apart to support and shade each other in their growth; then leave a space of eighteen to thirty inches, according to height of the variety, and repeat the double row. The tall varieties that may be given support are planted in single rows, the space between the rows somewhat less than the height of the variety. Drop ten to twenty dwarf peas to the double row or six to ten tall peas to the foot of row, using one quart to one hundred feet and three bushels to the acre.

Plant all peas at least five inches deep in soil that has been deeply plowed. This deep planting is the grower's attempt to give the peas the cool, damp climate they prefer. Lightly harrow or rake the soil when the peas should be breaking through, and continue to cultivate till the vine stops the work.

All peas stand some frost and may be planted as soon as the soil may be worked in spring. Peas should be planted frequently for a succession all north of the Ohio. The early varieties are planted in August for a late autumn ergo.

tumn crop.



PEAS—Continued

Shropshire Hero. Strong, vigorous vines, 42 inches in height. Pods 3 to 3½ inches long, blunt, light green in color. Fit for table use, 68 to 73 days from planting. Seed large, green, with black.

Pods 3 to 3½ inches long, blunt, light green in color. Fit for table use, 68 to 73 days from planting. Seed large, green, wrinkled.

Yorkshire Hero. Hardy, productive, and upright in growth, bearing near the top of the stalk, broad pointed pods with peas of a good quality. Foliage dark green, 23 to 28 inches in height. Pods, 2½ to 3 inches long, blunt, light green in color.

Gradus. A large, wrinkled, early pea, with a pod nearly as large as Telephone, filled with large peas, tender and of good quality and flavor. Very quick to germinate and mature with the early sorts. This pea will not stand adverse conditions, however, as well as some of the other sorts, and seed must be planted after all danger of early frost has passed. Seed large, cream colored, wrinkled.

Thomas Laxton. Closely resembling Gradus in habit, rapidity of growth, earliness and foliage, 26 to 30 inches high, and much hardier in every respect than Gradus.

Potlatch. Strong, vigorous vines, of even growth, 20 to 24 inches in height, with luxuriant dark foliage, bearing pods medium green in color, 3½ to 4 inches in length. Broad and pointed at the ends. No variety known will produce more pods, and no pods could possibly shell out better. The Potlatch is a variety from which anyone may expect great things. Fit for table use 61 days from planting. Seed green, wrinkled, large in size.

Duke of Albany. Resembling the Telephone in appearance. Vine and foliage medium green in color. Height, 50 inches. Alderman. A large podded pea of the Telephone type, very robust and vigorous as to vine, foliage, mixed, medium green. Champlon of England. Strong and vigorous and bearing white Marrowfat. Vines hardy, strong, vigorous and bearing

inches in height.

White Marrowfat. Vines hardy, strong, vigorous and bearing broad, thick, leathery pods.

Black-Eyed Marrowfat. Strong and vigorous vines bearing pods near the top of the vine.

PEPPERS


The pods of the pepper are used in sauces, salads, soups or as a seasoning, and the large mild varieties called mangoes are eaten from the hand or variously stuffed and prepared with cabage, tomatoes or meat. The pods of peppers are green till in ripening they turn red or yellow, according to the variety.

Start pepper in hot-beds and in other ways treat like a tomato. Set out of doors after frosts in thirty-inch rows, giving each plant eighteen inches in the row. One ounce of seed give, according to the handling, from one to two thousand plants and one pound plants an acre.

Sweet Mountain. Plants very vigorous and productive, growing upright, with moderately large leaves. Fruit very large, long, often eight inches or more in length, by two in diameter. Large Bell or Bull Nose. A very large sort of inverted bell shape, suitable for filling or for mixed pickle. Flesh thick, hard and less pungent than most other sorts.

Ruby King. An improved American sort, reaching the largest

Ruby King. An improved American sort, reaching the largest ze, yet retaining the symmetrical shape of the smaller sorts. Golden Upright. The fruits are large and of a beautiful rich



POTLATCH

golden yellow, tinged with blush red. The peppers are mild and as pleasant to the taste as Ruby King.

Red Cherry. Plant tall, bearing a profusion of bright, red, round fruit which is very pungent when ripe.

Chinese Giant Pepper. Without doubt one of the very best and largest Mango Peppers ever introduced. Its mammoth size, splendid shape, beautiful, rich, glossy-red flesh and mild flavor, all lead us to speak of it in words of commendation.

Golden Dawn. In shape it resembles the popular Bell or Bull Nose Pep-

words of commendation.

Golden Dawn. In shape it resembles the popular Bell or Bull Nose Pepper. It is of a most beautiful golden yellow color.

Red Chill. Used in the manufacture of pepper sauce.

Long Red Cayenne. A long, slim, pointed pod, and when ripe of a bright red color. Extremely strong and pungent.



The finer varieties of pumpkins are used for pies and the coarser ones for stock feeding. While the pumpkin may be grown very much as cucumbers are grown in a garden, they are more frequently planted in the field with corn, where several seed are dropped in each fourth hill. Planted alone, six to ten seeds are covered one inch deep in hills eight to ten feet apart and thinned to two to four plants to the hill. One ounce plants twenty-five hills and two to four pounds of seed generously plants an acre. As this crop requires as much time as corn to mature, the planting cannot be too long delayed.

Cheese or Kentucky Field. One of the best for table use, and very productive. Shape flat; flesh yellow, thick and tender.

Connecticut Field. The hardiest of all pumpkins; cultivated mainly for stock-feeding, producing enormous crops.

Mammoth Potiron. The flesh and skins are of a bright golden yellow color. Flesh fine grained and of excellent quality. This enormous variety has been grown to weigh 200 pounds.

Winter Queen. This is an improvement of the old, well-liked sugar pumpkin. Its size is uniformly about nine to ten inches in diameter, color, a beautiful deep orange yellow, with a close netting, almost as russeted as a potato.

potato.

Small Sugar. This variety is very small, but of most excellent quality for pies.

Pie. Fruit of medium size, nearly round; skin light yellow, smooth and covered with a fine gray netting. Flesh light yellow, very thick, sweet and finely flavored. Makes very delicious pies.



RADISH

Plant radishes on a light soil if a choice is possible, and every second week for a succession from the time the soil can be worked in spring till the first light frost. Plant in ten to eighteen-inch rows, cover the seeds one-half inch deep and permit four to ten radishes to grow to the foot of row, according to variety. Use one ounce of seed to one hundred feet of row and eight to twelve pounds to the acre. Radish seed, which germinate quickly, may be sown with some slow-germinating seed that the cultivation of that crop may begin the earlier, or the quicker-growing radish may be grown between rows of some slow-growing crop that later requires considerable space.

The Winter Radish is sown at late turnip planting time and used in the autumn or stored for winter like the turnip.

Non Plus Ultra. This is one of the finest forcing radishes. The roots are round, with a deep scarlet colored skin the flesh white, very crisp and tender.

Olive Shaped Bright Red Leafless Forcing. The extra early forcing radishes lately introduced are remarkable for the small size of their leaves. They develop their roots in so short a time that the latter are practically in advance of the leaves.

Rosy Gem. One of the very earliest in cultivation. Shape a perfect globe. Deep scarlet top, blending into pure white at bottom.

Scarlet Turnip, White

cellent white variety with longs, very smooth white roots.

Chartier. Decidedly distinct in appearance from any radish in, cultivation. The roots of the roots of

Scarlet Turnip, White Tipped. One of the handsomest of the turnip radishes and a great favorite in many large markets, for early planting outdoors.

Early Scarlet Turnip. The standard early turnip radish. Fine flavored and mild.

mild.

mild.

Deep Scarlet Turnip.

This is a very bright colored scarlet turnip radish, very early and short leaf, well adapted to forcing under glass.

White Summer Turnip. A very large turnip-shaped variety; white, very crisp and mild.

variety; white, very crisp and mild. Long Brightest Scarlet, White Tipped. This is the brightest and handsomest colored scarlet radish known

colored scarlet radish known.
French Breakfast. Olive-shaped, scarlet, with white tip: crisp and tender. Very early. A general favorite. Long White Vienna, or Lady Finger. A very excellent white variety with long, very smooth white roots

Round Black Spanish. Roots round, sometimes top-snaped, three or four incres in diameter; skin black, flesh white.

Long Black Spanish. One of the latest as well as hardiest of the radishes; an excellent sort for winter use. California Mammoth. First introduced into this country by the Chinese in California. It is pure white. The flesh is tender and crisp, keeping well through the winter.

White China or Celestial. A comparatively new variety which is popular wherever known. The root is long, cylindrical, with beautiful white skin.

Large White Spanish. A large rooted winter variety.



RHUBARB

Rhubarb, familiarly known as Pie Plant, or Wine Plant, is cultivated in gardens for its leaf stalks, which are used for pies and tarts. Immense quantities are now annually sold in all the larger markets. No private garden should be without it.

should be without it.

Rhubarb succeeds best in deep, somewhat retentive soil. The richer its condition and the deeper it is stirred the better. Sow in drills an inch deep, and thin out the plants to six inches apart. In the fall transplant the young plants into very highly manured and deeply stirred soil, setting them four to six feet apart each way, and give a dressing of coarse manure every spring. The stalks should not be plucked until the second year, and the plant never allowed to exhaust itself by running to seed. Our seed is saved from selected plants of the Linneus, Victoria, Giant and other improved sorts, but like the seeds of fruit trees, rhubarb seed cannot be relied upon to reproduce the same varieties.

Rhubarb Seed.

Rhubarb Roots. By express, not prepaid, 20c each, \$1.50 per dozen.

PRICES ON LARGE LOTS OF RHUBARB ROOTS ON APPLICATION,



(VEGETABLE OYSTER)

The long, white tapering root of salsify resembles a small parsnip, and when cooked is a good substitute for oysters, having a very similar flavor.

It succeeds best in a light, well-enriched soil, which should be stirred to a good depth. Coarse and fresh manure should be avoided, as it will surely cause the roots to grow unevenly and ill-shaped. Sow early and quite deep, giving the general culture recommended for parsnip. The roots are perfectly hardy, and many remain out all winter, but should be dug early in spring, as they deteriorate rapidly, after growth commences. Store a quantity for winter use in a pit or cellar in damp earth or sand.

Large White. The common variety, roots medium sized, smooth; flesh white.

Mammoth Sandwich Island. This is in every way superior to the Large White, being larger, stronger growing and less liable to branch. Invaluable to market gardeners.



Spinach, a delicious green, resembling in growth a non-heading lettuce, is happily the best of tonics. As early as the soil can be worked, sow it one-half inch deep in four-teen-inch rows, using one ounce of seed to one hundred feet, and in the second week will appear a tiny plant with two very narrow leaves that do not resemble the true leaves that follow. Cutting should begin forty-five days from sowing. It is impossible to put spinach on too rich a soil, and nitrate of soda is used on it with profit.

South of the Ohio, spinach winters without protection. North it very often winter kills with good drainage and the best of straw covering.

All spinach quickly runs to seed in the heat of summer.

Victoria. An excellent sort, which forms a very large, exceedingly thick, dark green leaf, somewhat curled in the center. It becomes fit for use nearly as early as any, remaining so much longer than most kinds, and cannot fail to please, whether grown for the market or in the private garden.

Savoy Leaved. The earliest variety and one of the best to plant in autumn for early spring use. Plant of upright growth, with narrow, pointed leaves, which are curled like those of the Savoy cabbage. It grows quickly to a suitable size for use, but soon runs

Round Summer Broad Leaved. This variety is generally preferred in the North for early spring sowing, and is the favorite with our market gardeners. The leaves are large, thick and fleshy. Though not quite as hardy as the Prickly Winter, it stands the winter very well.

Improved Thick Leaved. A variety which grows very rapidly, forming a cluster of large, very thick, slightly wrinkled leaves of fine color and quality when cooked. Especially recommended for market gardeners.



ROUND LEAVED SPINACH

Long Standing. An improved, round seeded strain of excellent merit, having all the good qualities of other sorts and continuing in condition for use much longer. The leaves are smooth and very dark, rich green. Very popular with market gardeners.

Prickly Winter. A very hardy variety and will withstand the severest weather with only a slight protection of leaves or straw. The seed is prickly, leaves triangular, oblong or arrow shaped. It is used for fall sowing, which in this latitude is about the first of September.

New Zealand. (Tetragonia expansia.) This branching plant, a spinach in its use and not in its growth, frost kills, but grows luxuriantly in the summer heat. Plant these large seeds three in a hill; three by two feet apart or start the plants under glass and transplant.

SORREL

Large Leaved French. Sow in drills as soon as the soil can be worked in spring and three to six inches apart in the row. Cutting begins in sixty days and continues for several years. Used as cooked "greens" or as a salad. Send the address of your friends who are interested in a good garden and they will receive a copy of this

Prices of Seeds Vary. We quote Market Values upon request and always give our customers the benefit of the lowest price that the market condition will warrant. Special prices on a general list will be given upon application. LET US HEAR FROM YOU.

SQUASH

Giant Crook-Neck. This strain is a great improvement on the old variety of Crook-Neck. I is larger and better in every way.

Straight-Neck Summer Squash. Market gardeners who ship early squash to distant markets know the difficulty of packing the crook necked variety in boxes to good advantage. In our straight-neck the bad feature of the crook has been overcome, and by continued selection the size has been increased more uniformly in shape and improved quality.

Golden Custard Bush. Exceeds in size any of the scalloped sorts.

Delicata. Early and very prolific; of oblong shape. Ground color orange yellow, splashed and striped with very dark green. Although of small size, the squashes are very solid and heavy, while the quality is rich and dry.

the quality is rich and dry.

Early White Bush Scallop. Similar in form to the Golden Bush, but with a cream white skin, and more tender and delicate flesh.

Mammoth White Bush. This has been obtained by years of careful selection. Although we have sold this squash for a number of years, we again call special attention to it.

Mammoth Chili. The largest of all squashes, growing to an immense size, often weighing over two hundred pounds, while its rich fine-flavored flesh insures its value for all purposes.



STRAIGHT-NECK SUMMER

MAMMOTH WHITE BUSH



WARTY HUBBARD

Warty Hubbard. This is the best strain of Hubbard Squash. By its rough, hard, warty shell and its dark olive green color it can be distinguished from any other strain, either in the field or on the market. It was introduced in 1894 and since that time under different names at different places it has been given out to all who have called for the best stock of Hubbard Squash. We have maintained its purity by continued selection and offer headquarters seed.

Golden Hubbard. This is a very distinct sort, of the shape and general character of the Hubbard, but a little smaller; of rich orange red color, instead of the dark olive green.

Delicious. This is one of the best Winter varieties. Its color is almost uniform of a green shade, with occasionally a blue specimen, it being just about as pure in this respect as was the original Hubbard. In size it also closely follows the original Hubbard, which weighed between 5 and 10 pounds. In thickness of flesh it surpasses nearly every variety, the color being a dark orange.

Fordhook. The vines are of strong, vigorous growth and wonderfully productive. Fruits oblong in form, eight to ten inches in length, slightly ridged; smooth, thin, yellowish skin; flesh very thick and of a light straw yellow.

TOBACCO

Pennsylvania Seed Leaf. This is the variety mostly grown for cigars, and is of fine quality and excellent flavor.

Perslan Rose. A fine brand for cigars. Sells well.

Yellow Pryor. A fine yellow sort, and succeeds well where others fail. Blue Pryor. This is the genuine article and a good sort. General Grant. Very early, and a good yielder.

Connecticut Seed Leaf. The best sort for cigar wrappers. Try it. Havana. This is the genuine article, and is first-class. Ohio. White leaved. A large yielder.



CONNECTICUT SEED LEAF TOBACCO

TOMATO



SPARK'S EARLIANA

core, and is of good flavor. About as early as any purple fruited tomato, and is quite popu-lar in some localities, both for market and home use

home use.

Perfection. A splendid red variety, hardy, productive, and a good bearer.

Atlantic Prize. A very early variety, fairly smooth; good for first crop.

Trophy. A good main crop sort. Color, red, fruit large.

Mikado, or Turner's Hybrid. One of the latest of the good market varieties. The vines are very distinct. Have a potato leaf appearance. In color, this sort is like the Acme, fine, large, smooth fruit.

Ponderosa. This variety, when conditions are favorable, grows to an immense size and makes the heaviest fruit of any in the list. Our stock is from the original strain. None better.


Livingston's Favorite. A well known red variety, smooth and solid.

optimus. One of the best table tomatoes. Vine medium sized, vigorous and strong. While not classed as a first early, it is reported by growers to ripen fully as early as many of the earliest, making an excellent forcing variety. The fruit is medium sized, oval, very smooth, and of a very bright crimson-

scarlet color.

Dwarf Champion. scarlet color.

Dwarf Champion. This is a purple fruited variety, which forms very strong plants about two feet high. The branches are short, making a bushy plant that stands quite erect without stakes. This sort is often sold as Tree Tomato. Fruit smooth, medium sized, color purplish pink, fairly solid, but has no hard



TURNIP

While the main crop of turnips is planted in July north of the Ohio, more turnips should be grown in early spring. Seed may be broadcast on the few soils freed of weeds, but it is more advisable to sow in one or two-foot drills, cover less than one-half inch and thin to stand six inches apart in the row. Use one-half ounce of seed to one hundred feet of row and two pounds to the acre. The turnip requires one-half more seed when broadcast than in drills and the salad turnip requires one-half more seed than the turnip sown for a root crop.

PURPLE TOP GLOBE

Extra Early White Milan Turnip. The Early White Milan is one of our most popular turnips for spring sowing, a splendid extra early turnip in which the extreme earliness, small top and tap root of the Purple Top Milan is united with clear white skin and flesh.

Pomeranean White Globe. This is one of the most productive kinds, and in good, rich soil roots will frequently grow to twelve pounds in weight. It is of perfect globe shape; skin white and smooth; leaves large and dark green.

Purple Top White Globe. An early variety. Globe shaped; heavy cropper. In other respects similar to the Red Top Strap Leaf. A handsome looking bulb. And is rapidly taking the lead of all other varieties of early turnips for market garden purposes.

Extra Early Purple Top Milan. The earliest in cultivation, two weeks earlier than Purple Top Strap Leaf. The bulb is flat, of medium size, quite smooth, with a purple top. Flesh, white, hard and of finest quality. It is an extra good keeper.

Large White Norfolk. The Standard variety for field culture for feeding stock. Very large size.

large size.

Cow Horn. This variety is pure white, except a little shade of green at the top, and is carrot-like in form, growing nearly half out of the ground, and slightly crooked. It is delicate and well flavored, of very rapid growth, and has obtained considerable favor as a market sort for fall and early winter use.

Early White Flat Dutch. An excellent garden variety. The best for spring sowing.

White Egg. Belongs to the class of quick growing fall turnips. Its shape is nearly oval or egg, as its name would indicate.

Seven Top. Cultivated extensively in the South for the tops, which are used for greens. It is very hardy and will grow all winter, but does not produce a good root, and is only recommended for the tops.


Purple Top Strap Leaf. Rapid grower and mild flavor. The most popular variety for early use, either for the table or stock.

Yellow Aberdeen. Very hardy and productive; a good keeper; globe shaped. Color pale yellow with purple top. Very firm in texture, and closely resembling the Rutabaga in good keeping qualities. Good either for table or stock.

Large Amber Globe. One of the best varieties for a field crop for stock. Flesh yellow, fine grained and sweet; color of skin, yellow; top green. Hardy, keeps well, a good cropper. Very popular in the South.

RUTABAGA

Rutabagas, or Swedish Turnips, with their superior keeping qualities had best be drilled a month earlier than other turnips, given eighteen to thirty-inch rows and thinned to stand six to twelve inches apart in the row.



IMPROVED AMERICAN RUTABAGA

Improved American. The best yellow fleshed, purple top variety grown for stock or table.

Budlong's White Rock. Though sometimes called a turnip, this is more like a rutabaga. The root is large, both skin and flesh very white. An excellent keeper and a desirable sort for market gardeners.

White Rutabaga. This variety is now extensively cultivated, and preferred in many sections for its white flesh. It is very hardy and productive, keeps well until late in the spring, and is highly esteemed for its sweet, delicate flavor.

Laing's Improved. One of the earliest of the rutabagas. Forms a handsome bulb of good quality. Keeps well; good for table use.

Long White French. A very delicate flavored variety. An excellent keeper and fine for table.

Skirving's Purple Top. A very heavy cropper. One of the best for field culture.

Carter's Imperial Hardy. An English variety resembling the preceding. Very productive and of fine quality.

Monarch or Tankard. This is a yellow fleshed sort having very large tankard shaped roots, with relatively small necks and tops. Color purplish crimson above ground, yellow below; flesh very solid, fine grained and of the best flavor. This very popular variety is also sold as Hurst's Monarch and Carter's Elephant.

Drummond's. An improved strain of purple top Swede, excelling in uniformity of shape, color and quality. Considered by many an excellent table sort.

Sweet German. A superior variety for table or stock. Flesh firm, sweet and juicy.

Bangholm. A very superior variety, both in form and quality, and held in high estimation in many parts of England. Of large size, small neck, few or no side roots, and yields well. Flesh yellow, sweet and solid; skin yellow with purple top.

CHOICE FLOWER SEEDS

STANDARD VARIETIES

Most flowers are as easily grown as vegetables. In the select list that follows will be found flowers and plants for many uses. Some plants used for cuttings bring the sunshine to those that must live indoors, while others are useful for cemetery lots, a tribute to those that precede us. Some plants can be grown in a partial shade, where grass does not grow, and others are serviceable in hanging baskets or veranda boxes. Some vines or tall plants may be grown to hide or make more sightly some fence or pile of stone or stump or building. Flowers are just as necessary as are pictures, and to their beauty is often added such stimulating and pleasing perfumes as cannot be bought in bottles.

Flowers fall readily into three classes:

Annuals bloom, seed and die the first year.

Biennials bloom and die in their second year, but they may bloom also in their first year.

Perennials flower for several years and some of them may bloom in the first year of their existence.

ASTERS

Of the general beauty of these flowers it is unnecessary to speak; the immense world-wide demand for them shows their adaptability for any climate; and, coming into bloom, as they do, when most other flowers are fading away, enhances their value. For the best results the ground for the cultivation of Asters cannot be too richly prepared, although they will give satisfactory returns on any ordinary garden soil.

Dwarf Chrysanthemum-Flowered. Large double flowers resembling chrysanthemums, and valuable on account of profuse late flowering. All colors mixed,

ing. All colors mixed.

Daybreak. The plants grow stiffly erect, eighteen to twenty inches in height, with ten to fifteen branches, each bearing a very large, extremely double flower, with incurved petals. The broad silvery petals are suffused with soft delicate pink.

New Giant Comet Asters, Mixed. With good cultivation, flowers of this type frequently measure four inches across, and in their fine form, large size, and long stem approach in beauty the fine Chrysanthemums grown in the greenhouse during the late fall months.

Semple's Branching. All colors mixed of this favorite longstemmed strain.

Queen of the Market. Of graceful spreading habit, it is in full flower two weeks before most other asters. Deep blue, white, pink, and rose in mixture.

Victoria. Flowers very large, double, and beautifully reflexed. The plants bear ten to twenty flowers, with the appearance of an elegant pyramid; one and a half feet. All colors mixed.

Christmas Tree. This new type is of a branching pyramidal form. Truffaut's Pæony-Flowered Perfection. Very double, large and beautiful flowers, with incurved petals.

German Quilled. The common double asters. Mixed Asters. Many varieties of different types.



COMET ASTER



MARGARET CARNATION

Acroclinum. Summer flowering and an "everlast-Ageratum (Floss Flower). For edging or pots.

Alyssum, Sweet. Trailing and fragrant.

Alyssum, Little Gem (Carpet of Snow). Amaranthus. Tricolor (Joseph's Coat). Antirrhinum (Snapdragons). Tall mixed.
Antirrhinum, Tom Thumb. Mixed, fine strain.
Asparagus Plumosus Nanus. A house plant. Asparagus Sprengeri. For suspended baskets. Bachelor's Button (Ragged Sailor or Corn Flower). Balloon Vine. A white flowered climber.
Balsam (Lady Slipper). A garden flower,
Calliopsis or Coreopsis. For bedding. Candytuft. For cutting or beds. Canna. A fine bedding plant. Canterbury Bell. A hardy biennial.
Carnation. For pot and outdoor culture. Castor Bean. Tall, stately plants. Chrysanthemum. Summer flowering and for cutting. Cinerari. Daisy-like bright flowers.
Cobea Scandens. Bell-flowered, rapid climber.
Cosmos. For autumn flowering background. Cockscomb. For the garden or in pots. Coleus. Attractive foliage plants. Cypress Vine. Flowered rapid climber.
Dahlia. A late summer and autumn flower.
Dalsy. Fine quality double mixed.
Forget-Me-Not. For the shaded spot. Four o'Clock (Marvel of Peru), Fox Glove or Digitalis. For the half shade. Fuchsia. For half shade or pot culture.
Geranium. For window boxes and pots.

Geranium. For window boxes and pots.
Globe Amaranth. Dry for winter bouquets.
Godetia. For borders and pot culture.
Gourd. Apple Shaped, Bottle, Dipper, Dish Cloth,
Hercules Club, Japanese Nest Egg, Mock Orange,
Pear Shaped, Sugar Trough.
Gypsophila (Baby's Breath). For edging.
Hellchrysum. The Straw Flower.



NASTURTIUM

For ease of culture, duration of bloom, brilliancy of coloring and general excellence, nothing excels Nasturtiums. All they need is a moderately good soil in a well drained, sunny position, and from within a few weeks from the time they are sown until hard frost comes there is an endless profusion of their gorgeous blossoms.

DWARF DWARF

Chameleon. The colors vary from yellow to deep crimson.

Empress of India. Brilliant dark scarlet.

Golden King. Beautiful rich dark gold.

Golden Queen. Golden yellow leaves and flowers.

King of Tom Thumb. Deep scarlet flowers.

King Theodore. Black-red; the darkest variety grown.

Pearl. Creamy white.

Rose. Deep bright rose, tinted salmon.

Ruby King. Ruby-red, with salmon tint.

Yellow. Bright yellow; no blotches.

Dwarf Varieties Mixed.

Chameleon. Flowers similar to Dwarf Chameleon.
Dark Crimson. Deep velvety crimson.
Hemisphaericum. Straw color, blotched with rosy pink.
Lemon Yellow. Clear bright yellow.
Orange. Deep orange, blotched.
Pearl. Creamy white.
Rose. Soft pink; a very choice sort.
Scarlet. Bright orange scarlet.
Tall Varieties Mixed.

LOBB'S CLIMBING NASTURTIUMS
Brilliant. Deep scarlet

Brilliant. Deep scarlet.
Crystal Palace. Very bright, orange salmon flowers.
Spitfire. Bright, fiery scarlet.
Choice Mixed.

SWEET PEAS

In few lines of endeavor has the advancement been so rapid as in the development of sweet peas. This the public seems to appreciate and this flower is today a general favorite.

If possible, for sweet peas spade deeply a well drained soil in the fall and add any good compost, including some wood ashes or lime. As early as the ground can be worked in spring plant the peas in a trench five inches deep and cover with one inch of sand or fine soil. When the peas are well above the ground fill the trench and thin the peas to stand two to three inches apart in the row. When planted, or very soon afterward, set some four to five-foot supports. Much with lawn trimmings, water thoroughly once a week, and cut frequently to keep the plant flowering.

With a select list of varieties we list several excellent mixtures.

Admiration. Rosy lavender.

California Sunbeams. Cream color, fine.

Coquette, primrose yellow, shaded lavender.



Eckford Mixed. A very choice mixture of the Grandiflora types.

Florists' Mixed. A blend of the sorts best suited for the cut flower trade.

Named Sorts Mixed. Blended from the named sorts of the Unwin and Grandiflora types

No better mixture can be had.

Spencer Varieties Mixed.

Christmas Flowering Mixed.

Countess of Cadogan. Reddish mauve, wings blue.
Dorothy Tennant. Rosy mauve.
Dorothy Eckford. One of the best whites.
Duke of Westminster. Deep rose ma-

GRANDIFLORA TYPE

CHOICE FLOWER SEEDS—(Continued)

Heliotrope. For bedding, bouquet and its perfume. Hollyhocks. For a tall background.

Hyacinth Bean. A flowered climber.

Ipomoea. A flowered rapid climber. Setrosa. (Brazilian Morning Glory). Grandiflora (Moon Flower). Bona Nox (Evening Glory).

Jobs Tears. Grass with slate colored seeds.

Kochia (Summer Cypress or Burning Bush).

Larkspur. For bedding or cutting.

Lathrus Latifolius (Everlasting Pea).

Lobelia. For pot culture or bedding. Linum (Flowering Flax). For bedding.

Love-in-a-Mist (Lady-in-the-Green).

Marigold. Bedding or borders.
African Double. Orange color.
Eldorado. Several shades of yellow.
French Dwarf. Brown-red.
Mignonette. For cutting and its perfume.
Sweet. The old variety.
Golden Queen. Fragrant and yellow.
Machet. Red flowered.

Morning Glory. The well known climber.

White. Blue. Crimson.





Portulacca (The Moss Rose). White Pink.

Crimson. Mixed. Many colored. Double Mixed. Many colored.

Plnks. Old Fashioned Favorites.
Double China.
Double Diadem.
Single Mixed.
Eastern Belle.

Salpiglossis. For border or bedding. Salvia. (Flowering Sage).

Sensitive Plant. Leaves droop when touched.

Sun Flower. For screen or back-ground.


Sweet William. For bedding and borders.

Verbena. For window boxes or bedding.

Wild Flower. Garden mixture.

Wall Flower. For bedding and bouquets.

Zinnia. For bedding and bouquets.



GIANT FIVE-SPOTTED PANSY

Moschatus (Musk Plant). For hanging

baskets.
Tigrinus (Monkey Flower). A pot plant. Morning Bride. Borders, beds and cuttings. Nicotiana Sanderae. Flowered Tobacco. Affinis. White and fragrant.

Affinis. White and fragrant.


Pansy. Emperor William. Deep blue.
King of Blacks. Darkest flower grown.
Giant Five-Spotted.
Trimarpeau. Mixed finest strains.
Extra choice mixed.
White.
Yellow.

Blue. Petunia. Fine mixed, for bedding. Phlox. Mixed, for bouquet or bedding. Alba. Pure white.

Poppy Carnation. Mixed colors, double fringed. Iceland. A perennial double. Mikado. The striped Japanese. Shirley, of many colors.



LAWN GRASS



GRASS SEED

Blue Grass. (Poa Compressa.) Commonly called Canada Blue Grass. A very valuable grass for pasture and lawns. Market Price.

English Rye Grass. (Lolium Perenne.) A very nutritious rapid growing variety, valuable for meadows and pastures. Twenty-four pound bushel. Market Price.

Tall Meadow Oat Grass. (Avena Elator.) This produces an abundant supply of foliage and is valuable for pasturage on account of its early and luxuriant growth. Market Price.

Sweet Vernal Grass. (Anthoxanthum Odoratum.) Permanent pastures should not be sown without a portion of this grass. Market Price.

Hard Fescue, (Festuca Duriuscula.). Similar to Sheep's Fescue, but not so dense, and growing somewhat taller. Market Price.

Red Top. (Agrostis Vulgaris.) A valuable grass for moist soils and low lands. It is a good, permanent grass, standing our climate well.

Solid Seed, Best Grade. Market Price.

Chaff Seed. Market Price.

Timothy. (Phleum Pratense.) This is decidedly the best grass for hay. Market Price.

Italian Rye Grass. (Lolium Italicum.) A valuable European variety, adapted to any climate, and produces large and nutritive crops. Eighteen-pound bushel. Market Price.

Orchard Grass or Rough Cocksfoot. (Dactylis Glomorata.) This is one of the most valuable and widely known of all pasture grasses. It is well adapted for sowing under trees or orchards. Market Price.

Meadow Fescue or English Blue Grass. (Festuca Pratensis.) Needs rich ground, and succeeds well on prairie soil. Sow about twenty-five pounds per acre. Market

Wood Meadow Grass. (Poa Nemoralis.) One of the best varieties to sow in shaded situations, such as orchards and parks, for either hay or pasturage. Sow about thirty pounds to the acre. Market Price.

Creeping Bent Grass. (Agrostis Stolonifera.) Particularly valuable for lawns that are to be used as croquet and tennis grounds. Market Price.

Meadow Foxtaii. (Alopecurus Pratensis.) Valuable for permanent pastures, and does best on good noderately moist soil. Market Price.

Tall Fescue. (Festuca Elatior.) A valuable perennial grass, very productive and nutritious. If used alone, sow forty pounds per acre. Market Price.

Blue Grass, (Poa Pratensis.) Commonly called Kentucky Blue Grass and known in some sections as "Green Meadow Grass" and "June Grass." It is the best pasture for our climate and soil, succeeding finely on hill lands and producing the most nourishing foed. Sow early in the spring or during the months of October and November. Fancy clean seed. Market Price.

CLOVER SEED

Medium Red or June. (Trifolium Pratense.) Sow in spring or fall, at the rate of eight or ten pounds per acre. Market Price.


Mammoth or Large Red. (Trifolium Pratense.) Sow at the rate of about eight pounds per acre. Sixty pounds per bushel. Market Price.

White Dutch. (Trifolium Ripens.) A small creeping, spreading, perennial variety, valuable for pasture and lawns. Market Price.

Alsike or Swedish. (Trifolium Hybridum.) This valuable variety is fast gaining great popularity.

Alfalfa or Lucerne. (Medicago Sativa.) 'Will bear cutting three or four times during the season. For bringing up poor land it is the best of the clovers. Market Price.


Crimson or Scarlet Clover. Can be seeded at any time from June to October, at the rate of fifteen to twenty pounds per acre. Market Price.



RED TOP GRASS



ENGLISH RYE GRASS



Prices Change. Ask for Market Price

Pride of the North. This famous corn still retains its popularity: an exceedingly early and prolific variety, always maturing in ninety days; often shelling sixty-two pounds of grain from seventy pounds of ears. Kernels closely set, large, of deep orange color; cob very small and red; stalks about seven feet in height. This is, probably, the best Dent corn for general cultivation in the north.

Champion White Pearl. Originated in Illinois, and is enormously productive; a strong grower; matures in about 100 days. The stalk is stout and thick, with large ears set low.

lowa Gold Mine. A splendid yellow corn. Everyone who has tried it is enthusiastic in the praise of this splendid variety which was introduced in 1892. It has everywhere received the most cordial endorsement as one of the best and most profitable varieties ever grown.

lowa Silver Mine. The Iowa Silver Mine is a splendid white corn. In 1894, the poor corn year, it yielded at the rate of ninety-seven and one-third bushels to the acre. It has no barren stalks. The ears are very even in size, being but little smaller at the tip than at the butt, and corn is well filled out over the tip.

Longfellow Flint. This is an eight-rowed Yellow Flint variety, the result of careful selection. The ears are from ten to fifteen inches long, one and one-half to one and three-fourths inches in diameter, are well filled out to the extreme end of cop.

are well filled out to the extreme end of cob.

Canada Eight-Rowed Flint. This standard Flint corn is the earliest of all. It is a safe corn to plant where the season is short. It will mature in eighty-five days of good corn weather.

Improved Leaming. The Improved Leaming Corn is a medium early yellow variety; large, slightly tapering ears, deep grain, and medium sized red cob. In favorable years there is much uniformity of both kernels and ears. Its numerous broad leaves not only encourage a healthy development but make it a valuable variety for

MISCELLANEOUS GRAINS

FIELD PEAS.

White Canada, Blue or Green.

COW PEAS.

Black Eye. Whip-Poor-Will. Black. Seed all black. Clay Colored.

MILLET SEED.

Japanese Barnyard. Pearl. Hog Common. German or Golden. Hungarian.

MISCELLANEOUS.

Spurry.
Lahyrus Sylvestris.
Barley, Common.
Rye, Spring.
Rye, Winter.
Buckwheat, Silver Hull.
Buckwheat, Common. Buckwheat, Japanese. Flax Seed, for Sowing.

KAFFIR CORN

Kaffir Corn. One of the best forage plants. If the

crop is wanted mainly for fodder, it is recommended to cut down the whole stalk when the first seed heads come into bloom.

Dwarf Essex Rape. A forage plant of great merit, easily grown in any part of the United States, on any land that will raise turnips or corn, and will furnish abundant supplies of succulent, rich, nutritious pasture, at a season when it is most needed.

Russian Sunflower. This is highly prized by poultry raisers and farmers as a cheap food for fowls. It is immensely productive and can be raised cheaper than corn, as any waste piece of ground will suffice. It is the best egg-producing food known.

PRICES VARY ON ALL FARM SEEDS WRITE FOR MARKET PRICE

BROOM CORN.

Improved Evergreen. Early Japanese.

SUGAR CANE.

Early Amber. Early Orange



KAFFIR CORN

NOTES ON GARDENING

While it is in a way true that anyone can garden, intelligence tells more quickly in agriculture, possibly, than in any other line of endeavor. Yet so many and varied are the ways of reaching a result in agriculture that no two experienced and successful growers would agree entirely upon the treatment of a crop or a piece of land. It does not follow that either grower is right or wrong, we would rather say that in the agricultural seas there are many good pilots with well charted courses and bid them "bon voyage."

In the work of gardening a sharpened stick or at most a hoe and a spade is all that is absolutely necessary, but the result will be vastly improved by the use of modern tools, hotbed frames and sash, some insecticides and a fungicide, drain tile, a compost heap and fertilizer.

but the result will be vastly improved by the use of modern tools, notbed frames and sash, some insecticides and a fungicide, drain tile, a compost heap and fertilizer.

Hotbeds. While early in the year plants may be started in a sunny window, it is of profit and advisable to use hotbeds and cold frames for even a small garden. From the first to the latter part of March is quite early enough to make a hotbed. The time must vary according to the latitude. Provide a quantity of fresh norse-manure from the stables, and add to this, if they can be had, one-third to one-half of its bulk of leaves. Mix them thoroughly, tramping down the mass in successive layers, and form into a large pile, so that fermentation will proceed, even in severely cold weather. In two or three days fermentation will be apparent by the escape of steam from the heap. Now turn again, and allow the heap to remain two or three days longer, or until the second fermentation commences. Make an excavation or pit 2½ feet deep, and of a size suited to the number of plants required. The pit will be better if built up of brick. It should be made in some dry, sheltered spot, facing the south or east, if possible. Hotbed sashes are usually 3x6 feet, and one or two sashes will give early plants enough for a small family. The frame for sashes should be 18 inches high at the back and 12 inches in front, which will give the proper slope to catch the sunlight. Cross-pieces should be placed for the sashes to slide on, to facilitate opening and shutting the frames. When everything is ready, the manure is placed in the pit and trodden down firmly in layers to the required depth, 2 to 2½ feet. Then put on the sashes, and keep the pit closed until the heat arises. At first it will probably be 100 degrees or more, which is too hot to sow the seed in; but in two or three days it will subside to 90 degrees or a little less, when the soil may be put on to the depth of 6 to 8 inches. The heat may be readily ascertained by plunging a thermometer into the manure. The soi

on all sides than the frame.

Cold Frames are simply frames with tops of glass or cloth set on the ground, no bottom heat being applied. It is banked up on the outside during the winter with marsh hay, straw or coarse litter. The soil is prepared by forking in and thoroughly mixing to the depth of 10 or 12 inches a liberal quantity of old, well-rotted manure. The manure of an old hotbed is good for the purpose. The frame is prepared in the fall, and young Cabbage, Cauliflower and Lettuce plants are set out in it in time to get well established before very cold weather. Cauliflower and Cabbage should be set down to the first leaf, and the soil made firm around the plants. The seed is usually sown, in this vicinity, from the 15th to the 20th of September. The young plants will be ready to transplant in about 25 to 30 days. During cold nights and stormy days the beds should be closely covered with the sashes, and these further protected by straw mats or shutters. Cauliflower needs more and closer protection than Cabbage, and it is rather more tender. During mild days admit air freely, the object being to keep the plants in a dormant state, without actual freezing, so that when spring comes, they are in a forward state for setting out. Seeds of Cabbage, Cauliflower, Lettuce and Radish may be sown in a cold frame in the spring from the last week in February to the first week in March. The frame should stand in a warm and sheltered spot, and be kept from freezing by mats or a thick covering of straw during cold nights.

Even before the hotbeds are made or the first seed purchased the garden should be planned on paper.

and be kept from freezing by mats or a thick covering of straw during cold nights.

Even before the hotbeds are made or the first seed purchased the garden should be planned on paper. If the garden has not been drained, preferably by tile, and there are very few pieces of ground that do not need drainage, an effort should be made to get rid of the surplus water so that the soil may warm up rapidly and bacterial life so necessary to plant life begin.

Frequently the application of lime or lime stone is more necessary than the application of commercial fertilizer and this question, too, must be answered early.

Stones and stumps, along with trees of no value, should be removed from the garden, and every effort possible made to get ready for the rush that comes with spring planting. There are easy ways as against the difficult ways of gardening, and from time to time the work should be carefully thought over with the idea of saving every effort possible. First of all, the vegetables should be planted in long rows so with a wheeled tool like the Perfection Garden Cultivator one can quickly cultivate the garden without stooping. It is also possible now to set plants while walking in an upright position and avoid the back-aches and suffering of other years by using a Masters Rapid Plant Setter. Tools like these should be secured before the day they are needed.

MASTERS RAPID PLANT SETTER



Is built to do actual plant setting. It is no plaything but is strong and durable, and with fair play will set out more than a million plants before it is worn out.

THE OPERATION of our Plant Setter is very simple. You mark off your land both ways, then haul out a few barreis of water (about two barrels to the acre is usually enough), place these barrels on the headlands and have a few thousand plants all ready pulled, and place a good box full on the headland at the water barrels.

THE MAN who is going to do the setting simply needs a common grape or peach basket with the handle cut off entirely, then pass a leather strap or stout cord through one side of the basket and fasten same around your waist; take the Planter in your right hand and have it nearly full of water and start down the row, putting in a plant at every mark clear across start down the row, butting in a plant at every mark clear actors the field; fill up your basket with plants at the end of every row, also your Planter with water, and thus keep going back and forth across the field all day, and in ten hours any ordinary farm hand can set 10,000 to 12,000 plants and when a man gets well used to the Planter and has his land in the best condition possible he can set 15,000 plants per day without special effort.





PERFECTION GARDEN CULTIVATOR

Different From Others-Superior to All. The lightest garden tool on the market. Easiest to adjust.

Strongest in workmanship.

Easiest to operate.

Is a complete machine within itself.

Needs no extra parts.

The only garden tool made that throws the soil to or from the plants without extra attachments.

The scientific advocate of deep plowing does not mean deep plowing at once for all soils, but generally a gradual deepening of the soil by going a little deeper each year. Also by subsoiling and by dynamiting the subsoil, the roots of plants work to a lower level where they find little cisterns of water and new stratas of plant food. plowed soil is slow to wash, so the land stays at home, retaining most of its fertility till some plant uses it. The successful Dutch farmer observed that the man who has one farm may soon have two-one above the other.

While the grower is building his land to two or three stories instead of one, he must not think of soil as inert and dead, something only to be analyzed by a chemist. Think of soil as a home where countless numbers of organisms will live if we give them an opportunity. There

these organisms will multiply with inconceivable rapidity. Organisms we cannot see without the use of a microscope we have used in many ways, as in the making of yeast breads and in the making of vinegar. Think of these modifications as being made partly by the work and partly by the presence of these microscopic live and dead bodies. So earth that is wisely plowed, well cultivated, also if necessary, drained and limed, modifies its appearance, feeling and texture, and becomes a new and a live soil.

With the little that man really knows about soil, there is much that ne believes and still questions, and still more about which he asks questions and there returns no reply. Was the weed nature's attempt to shade the soil and prevent the surface baking or was the weed nature's effort to make man cultivate and earn? Never mind! When the soil seals and hardens on its surface, plant life is at once retarded or entirely discontinued. The most persistent plant is killed quickly under boards or sheets of tarred paper. It is necessary to give the soil air, and to do this, man cultivates the soil, often laboring with crude and awkward tools. In the soil home the man is trying to open the windows. By this cultivating or stirring of the soil man is also using a dust mulch to retain the necessary soil moisture.

While the plow had long been brought to a state bordering on perfection, the tool necessary to the thorough cultivation of the garden was conspicuous by its absence till the introduction of the Perfection Garden Cultivator. This Perfection Garden Cultivator, a new disk and knife weeder, is the final evolution in hand cultivators. It does the weed killing, cultivating and mulching at one process, something no other cultivator accomplishes. It can be worked in gravel soil or in stony land, through sticks and coarse stubble, or in the softest loam. As a deeper mulch is required in dry weather than in moist weather, as a crop as it advances in age requires more shallow cultivation, as different crops and soils required different treatment, this tool is adapted to them all. Preferred by the successful professional gardener or the most exacting amateur home gardener, the tool is also so simple a child can work it. While built for the gardener who wants a tool stout enough for his most robust workman, it is so easy of operation as to meet with favor in the hands of the woman flower grower or the little housewife.

The inventor of this tool is a practical onion grower and trucker. During his thirty years in truck farming

The inventor of this tool is a practical onion grower and trucker. During his thirty years in truck farming and onion growing he has tried out all of the garden cultivators that have been made and recommended during that time. He knows the good points as well as the defects of each. From this knowledge he has perfected, after repeated efforts, this new tool, which, in a simple form, does all the work that can be done by the complicated attachments and combinations of the other tools.

One thumb screw is all that is operated in adjusting this tool. No attachments are necessary to make it do

the work needed.

The two photographs show the tool complete. It is durable, made of the best material, and within the reach

Perfection Garden Cultivator

Is made in three sizes, viz:

No. 1. With two discs, on which 6 inch or 7 inch knives may be used.

No. 2. With four discs, on which 71/2 inch, 81/4 inch or 834 inch knives may be used.


No. 3. With four discs, on which 10 inch or 11 inch knives may be used.

The No. 1 will work rows 9 to 11 inches wide, No. 2 will work rows 11 to 14 inches wide, No. 3 will work rows 13 to 16 inches wide.

Mention what size knives you wish when ordering. The price is the same for any of the sizes.

Price \$5.00 Each

The stiff wire leaf guards keeps the tops of the plants away from the discs.



Notice the Thumb Screw that Adjusts the Discs



FERTILIZERS

There is an axiom that "what grows one year will decay the next." So among the economies practiced by the European and which must not be confused with that which is miserliness or stinginess is the use of a compost heap. This practice could well be copied here. Not only the individual American but our great cities throw away vast quantities of that which might be composted. The gardener had best select a spot removed from the residence and there save continually all weeds, grasses, leaves, poultry and stable manure, soot, hoof and horn parings, bones, unused vegetables and fruit and refuse from the table. Earth and phosphate can be added to this compost heap, and while the heap should be kept moist enough to decay, it should be protected by a roof from rain. Later this compost should be spread upon the soil and plowed or spaded in.

As man advances he asks more varied kinds of foods. Or should we say as man secures more varied kinds of food he advances? So for plants as for animals, they are best fed when given many kinds of food. This is one of the reasons why the compost heap is so valuable. It is very probable that our commercial fertilizer of the future will contain several elements we are making no effort to feed plants now. As we expect different foods from day to day for ourselves, now we are changing and rotating fertilizers. The plant's dinner must not be the same on each bill of fare. Just as too much of one food might make our horse or ourselves ill, so we must not surfeit or sicken our plants by one food, good as that food

Experience has taught, with few exceptions, that the same crop is not to be grown year after year on the same soil. The crops are to be rotated. In the gardens and flower beds as in the field this should be true. If cabbage were on the east side last year, then put something besides cabbage or something in no way related to cabbage there this year. To think about gardening is to come to the conclusion that it is wise to rotate crops and equally wise to rotate or change fertilizer.

As nature makes an attempt to keep all soils busy and all bare spots covered up, so, whenever possible, man should plant cover crops and plow or spade them under. Rye and vetch planted in the fall and in

the spring spaded in is an excellent method of green manuring.

Fertilizer is a big word. Shade from trees or buildings is another lack of fertility. The poisonous fumes from factories kill plants, so plants do breathe. After all, much or most of our fertilizer is just sunlight or air. While most of the world's fertility does not reach us as freight, some very good fertilizers that it is wise to use does come done up in bags.

tilizers that it is wise to use does come done up in bags.

Think of the organisms or bacteria that live in the soil as laborers living and working in their home and that they need material with which to work. These tiny workmen, we say, make the plant food available. So not only are workmen necessary, but we must supply them with the raw material with which to work. Some of the things we may add to the garden may contain with new workmen, call them micro-organisms if you wish, one or several raw materials as well. Other materials we supply to our gardens may contain only these elements or materials which we class as phosphates, potash and nitrogen. We say a fertilizer is complete when it contains these last three named elements. The word fertilizer suggests one or more of these three elements put up in bags and known as commercial fertilizer. If the manufacturers of commercial fertilizer have been as the shear in their last of offert to taget that their product is not a material for the same that their product is not a material for the same that their product is not a material for the same that their product is not a material for the taget that their product is not a material for the same that their product is not a material for the same that their product is not a material for the same that their product is not a material for the same that the product is not a material for the same that the product is not a material for the same that the product is not a material for the same that the product is not a material for the same that the product is not a material for the same that the product is not an analysis of same that the product is not a material for the same that the product is not a material for the same that the product is not a material for the same that the product is not a material for the same that the product is not a material for the same that the product is not a material for the same that the product is not a material same that the product is not a material same that the same that the product is n cial fertilizer have had a weakness it has been in their lack of effort to teach that their product is not an antidote for the poison of poor farming or gardening. No one who can see and think can doubt its profitable and necessary use. Such a use must go hand in hand with other good practices, like soil draining, subsoiling, liming, deep plowing, stable and green manuring, the rotation of crops, possibly the rotation of fertilizers, thorough cultivation and the use of good seed.

The Analysis and Price of Fertilizers Upon Request. The analysis tells the truth but not the whole truth. Just as there is a choice between good pieces of cloth so where good "gauge" is concerned.

truth. Just as there is a choice between good pieces of cloth so where good "guano" is concerned there is a preference. In buying fertilizer do not think of the tons of weight that are carried to the farm or garden, but rather be concerned more about the pounds of plant food and the conditions of that plant

Pulverized Sheep Manure. Humanity builds the results of its learning into little sayings, of them one is, "The sheep's foot is gold." Generations of farmers learned that where the sheep were kept or pasis, "The sheep's foot is gold." Generations of farmers learned that where the sheep were kept or pastured later grew rich crops. So we are offering sheep manure that has been pulverized, screened and dried till it contains no weed seed and is in the most perfect condition for handling. Where the ant was found to follow the application of bone meal to lawns, the application of this Pulverized Sheep Manure was followed only by good results. Its effect is not only immediate but lasting. For a potting soil one part of this manure to six parts of the soil was found to be preferred. For the making of a liquid manure one pound to six gallons of water was superior. It has no objectionable odor, nor does it offend by its appearance. When heavily and freshly applied to lawns it is barely discernible. A heavy application is not to be feared but to be advised for house plants, lawns, flower gardens, fruit or vegetables. Prices upon request. request.

A PAGE ON FUNGICIDES AND INSECTICIDES

The attempt to summarize the militant ways of man in his battle with disease, fungi, and insects that attack our plant world would be, because of its brevity, somewhat imperfect. This quickly developed science that is rapidly progressing fills volumes of space. In the effort to be brief, which means we cannot be concise, we might say of the plants' enemies that they are: first, fungous diseases; second, insects that eat or chew the plant; third, insects that suck the plants' juices; fourth, insects that bore into the plant.

The Fungous Diseases of plants may be thought of as blight, mildew, spot, speck, dry rot, black rot,

rust, scab or mold, etc.

The remedies applied are called Fungicides. They may be preventative or cures, or both. Some of them are

	Bordeaux Wilkture.	
Copper	Sulphate	pounds
Quicklim	e	l pounds
Water .) gallons

Dissolve the copper sulphate by putting it in a bag of coarse cloth and hanging this in a vessel holding at least 4 gallons, so that it is just covered by the water. Use an earthen or wooden vessel. Slake the lime in an equal amount of water. Then mix the two and add enough water to make 40 gallons. It is then ready for immediate use.

Ammoniaca Copper Carbonate.

Copper Carbonate		
Ammonia		
Water	 9	gallons

The copper carbonate is best dissolved in large bottles, where it will keep indefinitely, and it should be diluted with water as required.

Copper Sulphate Solution

	Sulphate 1	
Water		gallons

Dissolve the copper sulphate in the water, when it is ready for use. This should never be applied to follage, but must be used before the buds break. For peaches and nectarines use $25\,$ gallons of water.

Practically all insecticides and fungicides are now put up in concentrated form, saving the gardener the trouble of mixing the ingredients. Frequently this prepared article is superior to that which could be mixed at home and often cheaper. In this buying one has a choice as between the fluid, paste or dry forms at times.

SECOND. Insects that chew or eat the plant may be bugs, caterpillars, worms or slugs. The poisons we feed to this class of our enemies we call Stomach Poisons and some of them are:

Paris Green.

Water 250 gallons
If this mixture is to be used upon peach trees, 1
pound quicklime should be added. Repeated applica-
tions will injure most foliage unless lime is added.
Paris Green and Bordeaux can be applied together with
perfect safety. The action of neither is weakened, and
the Paris Green loses all caustic properties. If applied
as a powder it should be mixed with flour or plaster,
100 parts to 1 part Paris Green.

London Purpie.

This is used in the same proportion as Paris Green,

but as it is more caustic it should be applied with lime, or with the Bordeaux mixture.

Hellebore	
thoroughly mixed.	gallons

Arsenate of Lead.

Among the insecticides none stand higher than this. It adheres and does not injure the most tender foliage, does not readily wash off and as it is white it shows where it has been applied. It remains so well suspended in solution as to give an even distribution.

THIRD. Insects that suck the juices of plants may be plant lice, mealy bug, green and black fly, red spider, scale, etc. The poisons we apply to this class of our enemies kill by striking through the insects skin and are referred to as Contact Poisons, some of them are:

Kerosene Emulsion.

Hard Soar		 	 		pound
Boiling W	ater	 	 		gallon
Kerosene		 	 	2	gallons

Dissolve the soap in the water, add the kerosene, a churn well with soap for 5-10 minutes. Dilute 10 15 times before applying. and

Tobacco Dust or Tea.

The aphis or plant louse is not apt to go where there is tobacco dust and a tea made from tobacco, just tobacco boiled in water till the water is dark, is an excellent remedy for this class of pest.

FOURTH. Insects that bore into the tree or plant are retarded or injured by having Tanglefoot put in their way or Fish-Oil Soap or Whale-Oil Soap smeared or washed upon the plant's trunk.

Frequently some combinations of the above Fungicides and Insecticides may be made with advantage, as Bordeaux with Arsenate of Lead, or Kerosene Emulsion with Paris Green. Again, in advertised articles upon the market are found some very superior combinations, two of which we list below.



Slug Shot. This well known preparation has been in use for more than a quarter of a century and its popularity does not diminish. It can be used on all sorts of vegetables, in the flower garden, on fruit bushes, trees or whereever the insect pests appear. It is an impalpable powder, non-poisonous to human beings on esteet. beings or stock.

Bug Death. This preparation we highly recommend. We have many testimonials at hand from large vegetable growers and we feel confident in offering it with our endorsement to any of our customers who want a quick-acting, non-poisonous bug killer. It can be used on all house plants, vegetable and fruit crops, with excellent results.



The application of remedies for fungus or poison for insects may be by dusting, using a powder gun, duster or bellows, and the liquids applied with a syringe, spray pump or vaporizing bellows.

To apply these remedies or poisons when fruit is in bloom may kill the bees and affect pollination.

Keep all poisonous properties under lock and key if possible, where poultry, stock and human beings are not apt to reach it by accident.

USEFUL INFORMATION

LEGAL	WEIGHTS	and	MEASURES—Pounds	Per	Bushel.

ARTICLES IIIs. Ia. Wis. Mich. Ind. Mo. N.V. Ohio	LEGAL WEIGHTS and	1 111	LASU	RES	-Po	unas	Per	Bus	nei.
Apples green 50 57 .	ARTICLES	IIIs.	Ia.	Wis.	Mich.	Ind.	Mo.	N.Y.	Ohio
Barley	Apples, dried	24	24	28	22	25	24	22	22
Barley	Apples, green	50		57					
Barley		20	20	20	20		20	20	20
Beans, white 60		48	48	48	48	48	48	48	48
Beans, Castor 46		60	60	60	60	60	60	62	60
Buckwheat		46	46	46	46	46	46	46	46
Broom Corn Seed		52	52	50	48	50	52	48	50
Carrots		46	46	46	46	46	46	46	30
Carrots	Beets	60 i		50					56
Charcoal	Carrots	55		50			50		50
Coal, stone 80		22	22	22	22	22	22	22	
Coke 40 38		80	80				80		80
Corn, shelled 56 56 56 56 56 56 56 56 56 56 56 70 70 68 70 70 68 70 70 68 70 70 68 70 70 68 70 70 68 70 70 68 70 70 68 70 70 68 70 70 60 60 60 60 50 60	Coke	40	38					i	40
Corn, ear 70 70 70 70 68 70 70 68 70 70 68 70 70 68 70 70 68 70 70 68 70 70 68 70 70 60 50 60	Corn, shelled	56		56	56	56	56		56
Cranberries 33 40 33 40 33 40 33 40 33 40 33 40 33 40 33 40 33 40 33 40 33 40 33 40 33 40 80 80 80 80 80 80 60 70 70 70 70 70 70 70 70 70 70 70 70 70 70 70 70 70 70		70	70	70	70.	68	70	70	68
Cranberries 33 40 33		48	48		50	50	50	50	50
Dried Peaches 23 23 28 28 33 33 32 33 Flax Sced 56 50 <td></td> <td>33</td> <td> i</td> <td></td> <td>40</td> <td>33</td> <td></td> <td></td> <td></td>		33	i		40	33			
Grass Seed, Blue 14 14 14 14 14 14 15 10 Grass Seed, Clover 60 60 60 60 60 60 60		23	23	28	28	33	33	32	33
Grass Seed, Blue 14 14 14 14 14 14 15 10 Grass Seed, Clover 60 60 60 60 60 60 60		56	56	56	56	56	56		
Grass Seed, Clover. 60 60 60 60 60 60 60 60 60 60 60 60 60		14	14	14	14	14	14		
Grass Seed, Hungar'n 48 48 50 50 50 50 50 50 50 Grass Seed, Millet 50 48 50 50 50 50 50 50 50 Grass Seed, Orchard 14 14 14 14 14 14 14 14 14 14 14 14 14	Grass Seed, Clover	60	60	60	60	60	60	60	60
Grass Seed, Millet. 50 48 50 50 50 50 50 Grass Seed, Orchard	Grass Seed, Hungar'n	48	48	48	50		48	48	50
Grass Seed, Orchard. 14 14 14 14 14 14 14 14						50			
Grass Seed, Red Top. 14 14 14 14 14 14 14 15 45 4	Grass Seed, Orchard.	14	14					14	
Grass Seed, Timothy, 45 45 45 45 45 44 45 German Lupine	Grass Seed, Red Top.	14	14	14	14		14	14	
German Lupine 60 4 44 44 44 44 44 44 44 44 44 44 44 44	Grass Seed, Timothy.	45	45	45	45	45	45		45
Hemp Seed		60							
Hickory Nuts		44	44		44	44	44	44	44
Mineral Coal 40		50				_			
Mineral Coal 40	Malt. Barley	38	36	34	38	38	38	34	34
Middlings, fine 40 40 <	Mineral Coal	40				70			
Middlings, coarse 30 30	Middlings, fine	40							
Onions 57 57 57 54 48 57 57 57 50 50 48 28 <th< td=""><td></td><td>30</td><td> (</td><td></td><td></td><td>30</td><td></td><td></td><td></td></th<>		30	(30			
Onions 57 57 57 54 48 57 57 57 50 50 48 28 <th< td=""><td>Oats</td><td>32</td><td>32</td><td>32</td><td>32</td><td>32</td><td>32</td><td>32</td><td>32</td></th<>	Oats	32	32	32	32	32	32	32	32
Onions, tops 28				57	54	48	57	57	50
Osage Orange 33			28	28	28	28	28	28	25
Parsnips 55 55 54 Potatoes 60	Onions, sets	32							
Potatoes 60 <		33							
Potatoes, Sweet 50 46 55 56 55 56 55 56 55 56 55 56 55 56 55 56 55 56 50 50 60 50 50 50 50 50						55	54		
Peas, dried 60 </td <td></td> <td></td> <td></td> <td></td> <td>60</td> <td></td> <td>60</td> <td>60</td> <td>60</td>					60		60	60	60
Peas, in pods. 32		50		55	56	55	56	55	50
Pop Corn 70			60	60	60	60	60	60	60
Quick Lime 80 80 80 80 80 80 80 80 80 80 80 80 80 80 80 50 <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>									
Rye 56 56 56 56 56 56 56 56 56 56 56 50 50 50 50 50 50 50 50 50 50 50 50 50 50 56 56 50 50 50 50 50 50 50 50 50 50 50 55 50 55 56 58 55 50 55 50 55 60 50 42 42	Pop Corn								
Salt, coarse 50									
Salt, fine									
Turnips, Rutabaga 55 55 56 58 55 50 55 60 Turnips, white 42 42									
Turnips, white 42 42 42									
		55	55		58	55		55	60
					::	• •			
Wheat 60 60 60 60 60 60 60	Wheat	60	60	60	60	60	60	60	60

Dry Measure. 2 pints, 1 quart; 8 quarts, 1 peck; 4 pecks, 1 bushel; 36 bushels, 1 chaldron.

Liquid Measure. 4 gills, 1 pint; 2 pints, 1 quart; 4 quarts, 1 gallon; 31½ gallons, 1 barrel; 2 barrels, 1 hogshead.

Negsnead.

Measurements of an Acre. The following will be found useful in arriving at accuracy in estimating the amount of land in different pieces of ground under cultivation: 5 yards wide by 968 yards long, contains one acre, as do also the following measurements: 10 yards wide by 484 yards long; 20 yards wide by 242 yards long; 40 yards wide by 121 yards long; 70 yards wide by 69½ yards long; 60 feet wide by 726 feet long; 120 feet wide by 396 feet long; 120 feet wide by 396 feet long; 120 feet wide by 181½ feet long, and 440 feet wide by 99 feet long.

Number of Plants or Trees to the Acre at Given Distances,

Dis. Apart.	No. Plants.	Dis. Apart.	No. Plants.
12x 1 in	522,720	36x36 in	4,480
	174,240	42x12 in	
	43,560	42x24 in	
	392,040	42x36 in	4,148
	348,480	48x12 in	
	116,160	48x18 in	
	29,040	48x24 in	
	19,360	48x30 in	
	313,635	48x36 in	
	15,681	48x48 in	
24x 1 in	261,360	60x36 in	
	15,520	60x48 in	
	10,890	60x60 in	
	209,088	8x 1 ft	
30x 6 in		8x 3 ft	
30x12 in			680
30x16 in			4,356
30x20 in			726
30x24 in			435
30x30 in			3,630
36x 3 in			736
36x12 in			302
36x18 in			2,722
36x24 in	7,260	16x16 ft	170

REFERENCE TABLES

Quantity of Seed Requisite to Produce a Given Number of Plants and Sow an Acre.

	Acre.
	Quantity per Acre.
Artichoke 1 oz to 500 plants	
Artichoke, 1 oz. to 500 plants Asparagus, 1 oz. to 800 plants Asparagus Roots	
Agnarague Roote	1000 to 7250
Rarlay	2½ bu.
Boons Dworf 1 pint to 100 ft of dri	il 1 bu.
Peans, pole 1 pint to 100 lt. of di	½ bu.
Deaths, pole, I plit to 100 fills	72 Du.
Beet, garden, 1. oz. to 100 it. of drill	
Beet, mangel, 1 oz. to 100 ft. of drill	5 lbs.
Barley Beans, Dwarf, 1 pint to 100 ft. of dr. Beans, pole, 1 pint to 100 hills Beet, garden, 1 oz. to 100 ft. of drill Beet, mangel, 1 oz. to 100 ft. of drill Broccoli, 1 oz. to 5,000 plants Brussels Sprouts, 1 oz. to 5,000 plan Bruskwheet	
Brussels Sprouts, 1 oz. to 5,000 plan	ts 2 oz.
Buckwheat Cabbage, 1 oz. to 3,000 plants Carrot, ¼ oz. to 100 ft. of drill Caulifiower, 1 oz. to 3,000 plants Celery, 1 oz. to 15,000 plants	½ bu.
Cabbage, 1 oz. to 3,000 plants	2 oz.
Carrot, ¼ oz. to 100 ft. of drill	2½ lbs.
Cauliflower, 1 oz. to 3,000 plants	2½ oz.
Celery, 1 oz. to 15,000 plants	2 oz.
Chicory	4 lbs.
Clover Alsike and White Dutch	6 lbs.
Clover Lucerne	15 to 25 lbs.
Clover, Crimgon Trofoil	10 to 15 lbs.
Clayer Large Bed and Medium	8 to 12 lbs.
College Large Red and Medium	8 to 12 lbs.
Conards, 1 02. to 5,000 plants	2 ats.
Corn, rice (shelled)	4 qts.
Corn, sweet, 4 pint to 100 hills	6 qts.
Cress, % oz. to 100 feet of drill	12 lbs.
Cucumber, 1 oz. to 100 nills	1 to 3 lbs.
Egg Plant, 1 oz. to 2,000 plants	4 oz.
Endive, 4 oz. to 100 ft. of drill	4½ lbs.
Flax, broadcast	½ bu.
Garlic, bulbs, 1 lb. to 10 ft. of drill	
Grass, Blue, Kentucky	2 bu.
Grass, Blue, English	1 bu.
Grass, Hungarian and Millet	½ bu.
Grass, Mixed Lawn	3 to 5 bu.
Grass, Red Top, Fancy, Clean	8 to 10 lbs.
Grass, Red Top, Chaff Seed	20 to 28 lbs.
Grass, Timothy	
Grass, Orchard, Perennial Rye, Fo	wl Meadow
and Wood Meadow	2 bu.
Hemp	10,000 to 15,000
Horse Radish Roots	10,000 to 15,000
Kale, 1 oz. to 5,000 plants	
	2 oz.
Kohl Rabi, ¼ oz. to 100 ft. of drill.	
Kohl Rabi, ¼ oz. to 100 ft. of drill. Leek, ¼ oz. to 100 ft. of drill	
Kohl Rabi, ¼ oz. to 100 ft. of drill. Leek, ¼ oz. to 100 ft. of drill Lettuce, ¼ oz. to 100 ft. of drill	
Kohl Rabi, ¼ oz. to 100 ft. of drill. Leek, ¼ oz. to 100 ft. of drill Lettuce, ¼ oz. to 100 ft. of drill Martynia, 1 oz. to 100 ft. of drill	2 oz. 4 lbs. 4 lbs. 3 lbs. 5 lbs.
Kohl Rabi, ½ oz. to 100 ft. of drill. Leek, ½ oz. to 100 ft. of drill Lettuce, ½ oz. to 100 ft. of drill Martynia, 1 oz. to 100 ft. of drill Melon, Musk, 1 oz. to 100 hills	2 oz. 4 lbs. 3 lbs. 5 lbs. 1 to 3 lbs.
Kohl Rabi, ½ oz. to 100 ft. of drill. Leek, ½ oz. to 100 ft. of drill Lettuce, ¼ oz. to 100 ft. of drill Martynia, 1 oz. to 100 ft. of drill Melon, Musk, 1 oz. to 100 hills Melon, Water, 4 oz. to 100 hills	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
Kohl Rabi, ½ oz. to 100 ft. of drill Leek, ½ oz. to 100 ft. of drill Lettuce. ½ oz. to 100 ft. of drill Martynia, 1 oz. to 100 ft. of drill Melon, Musk, 1 oz. to 100 hills Melon, Water, 4 oz. to 100 hills Masturtium, 2 oz. to 100 ft. of drill.	2 oz. 4 lbs. 4 lbs. 3 lbs. 5 lbs. 1 to 3 lbs. 1½ to 4 lbs.
Kohl Rabi, ½ oz. to 100 ft. of drill. Leek, ½ oz. to 100 ft. of drill Lettuce, ½ oz. to 100 ft. of drill Martynia, 1 oz. to 100 ft. of drill Melon, Musk, 1 oz. to 100 hills Melon, Water, 4 oz. to 100 hills Nasturtium, 2 oz. to 100 ft. of drill	2 oz. 4 lbs. 4 lbs. 3 lbs. 5 lbs. 1 to 3 lbs. 1 to 4 lbs. 5 lbs. 1 to 5 lbs. 1 to 5 lbs. 1 lbs. 1 lbs. 1 lbs. 1 lbs.
Kohl Rabi, ½ oz. to 100 ft. of drill. Leek, ½ oz. to 100 ft. of drill Lettuce, ¼ oz. to 100 ft. of drill Martynia, 1 oz. to 100 ft. of drill Melon, Musk, 1 oz. to 100 hills Melon, Water, 4 oz. to 100 hills Nasturtium, 2 oz. to 100 ft. of drill. Okra, 1 oz. to 100 ft. of drill. Ochra. Seed, ½ oz. to 100 ft. of drill	2 oz. 4 lbs. 4 lbs. 3 lbs. 5 lbs. 1 to 3 lbs. 1½ to 4 lbs. 15 lbs. 15 lbs. 4 to 5 lbs.
Kohl Rabi, ½ oz. to 100 ft. of drill. Leek, ½ oz. to 100 ft. of drill Lettuce, ½ oz. to 100 ft. of drill Martynia, 1 oz. to 100 ft. of drill Melon, Musk, 1 oz. to 100 hills Melon, Water, 4 oz. to 100 hills Melon, Water, 4 oz. to 100 ft. of drill. Okra, 1 oz. to 100 ft. of drill Onion Seed, ½ oz. to 100 ft. of drill	2 oz. 4 lbs. 4 lbs. 3 lbs. 5 lbs. 1 to 3 lbs. 1½ to 4 lbs. 1½ to 5 lbs. 4 to 5 lbs. 4 to 80 lbs.
Kohl Rabi, ½ oz. to 100 ft. of drill. Leek, ½ oz. to 100 ft. of drill Lettuce, ½ oz. to 100 ft. of drill Martynia, 1 oz. to 100 ft. of drill Melon, Musk, 1 oz. to 100 hills Melon, Wusk, 2 oz. to 100 hills Nasturtium, 2 oz. to 100 ft. of drill. Okra, 1 oz. to 100 ft. of drill. Onion Seed, ½ oz. to 100 ft. of drill Onion Seed, 100 ft. of drill Onion Sets, 1 quart to 4) ft. of drill	2 oz. 4 lbs. 4 lbs. 5 lbs. 11 to 3 lbs. 11½ to 4 lbs. 25 lbs. 11½ to 4 lbs. 4 lbs. 4 lbs. 4 bs. 5 lbs. 6 lbs. 6 lbs. 6 bu. 8 bu.
Kohl Rabi, ½ oz. to 100 ft. of drill Leek, ½ oz. to 100 ft. of drill Lettuce, ½ oz. to 100 ft. of drill Martynia, 1 oz. to 100 ft. of drill Melon, Musk, 1 oz. to 100 ft. of drill Melon, Water, 4 oz. to 100 hills Melon, Water, 4 oz. to 100 hills Nasturtium, 2 oz. to 100 ft. of drill Onion Seed, ½ oz. to 100 ft. of drill Onion Seed, 100 ft. of drill Onion Sets, 1 quart to 4) ft. of drill Parsnip, ¼ oz. to 100 ft. of drill	2 oz. 4 lbs. 4 lbs. 3 lbs. 5 lbs. 1 to 3 lbs. 1½ to 4 lbs. 15 lbs. 14/2 to 4 lbs. 5 lbs. 40 to 80 lbs. 8 bu. 3 lbs.
Kohl Rabi, ½ oz. to 100 ft. of drill. Leek, ½ oz. to 100 ft. of drill Lettuce, ½ oz. to 100 ft. of drill Martynia, 1 oz. to 100 ft. of drill Melon, Musk, 1 oz. to 100 hills Melon, Water, 4 oz. to 100 hills Nasturtium, 2 oz. to 100 ft. of drill. Nasturtium, 2 oz. to 100 ft. of drill. Onion Seed, ½ oz. to 100 ft. of drill Onion Seed, for sets	2 oz. 4 lbs. 4 lbs. 3 lbs. 5 lbs. 1 to 3 lbs. 1 to 3 lbs. 1 to 5 lbs. 4 to 5 lbs. 4 to 5 lbs. 4 to 8 lbs. 8 lbs. 3 lbs. 3 lbs.
Kohl Rabi, ½ oz. to 100 ft. of drill Leek, ½ oz. to 100 ft. of drill Leetkuce. ¼ oz. to 100 ft. of drill Martynia, 1 oz. to 100 ft. of drill Melon, Musk, 1 oz. to 100 ft. of drill Melon, Water, 4 oz. to 100 hills Msturtium, 2 oz. to 100 ft. of drill Okra, 1 oz. to 100 ft. of drill Onion Seed, ½ oz. to 100 ft. of drill Onion Seed, ½ oz. to 100 ft. of drill Onion Seed, ½ oz. to 100 ft. of drill Parsnip, ¼ oz. to 100 ft. of drill Parsley, ¼ oz. to 100 ft. of drill Pasa, garden, 1 pint to 100 ft. of dr	2 oz. 4 lbs. 4 lbs. 3 lbs. 5 lbs. 1 to 3 lbs. 1½ to 4 lbs. 1½ to 4 lbs. 4 to 5 lbs. 4 to 5 lbs. 4 to 5 lbs. 3 lbs. 4 to 5 lbs. 1 lbs.
Kohl Rabi, ½ oz. to 100 ft. of drill. Leek, ½ oz. to 100 ft. of drill Lettuce, ½ oz. to 100 ft. of drill Martynia, 1 oz. to 100 ft. of drill Melon, Musk, 1 oz. to 100 hills Melon, Water, 4 oz. to 100 hills Melon, Water, 4 oz. to 100 hills Melon, Exact of the ft. of drill. Okra, 1 oz. to 100 ft. of drill. Okra, 1 oz. to 100 ft. of drill. Okra, 1 oz. to 100 ft. of drill Onion Seed, ½ oz. to 100 ft. of drill. Onion Seed, for sets Onion Sets, 1 quart to 4) ft. of drill. Parsley, ¼ oz. to 100 ft. of drill. Parsley, ¼ oz. to 100 ft. of drill. Peas, garden, 1 pint to 100 ft. of dr Peas, field	2 oz. 4 lbs. 4 lbs. 3 lbs. 5 lbs. 1 to 3 lbs. 1½ to 4 lbs. 5 lbs. 1½ to 5 lbs. 1½ to 6 lbs. 8 lbs. 40 to 80 lbs. 8 lbs. 13 lbs. 15 lbs. 2 bu. 3 lbs. 1 bu. 3 lbs. 1 bu. 2 bu.
Kohl Rabi, ½ oz. to 100 ft. of drill Leek, ½ oz. to 100 ft. of drill Lettuce, ½ oz. to 100 ft. of drill Martynia, 1 oz. to 100 ft. of drill Melon, Musk, 1 oz. to 100 hills Melon, Water, 4 oz. to 100 hills Melon, Water, 4 oz. to 100 hills Melon, Water, 4 oz. to 100 ft. of drill Okra, 1 oz. to 100 ft. of drill Onion Seed, ½ oz. to 100 ft. of drill Onion Seed, ½ oz. to 100 ft. of drill Parsnip, ¼ oz. to 100 ft. of drill Parsley, ¼ oz. to 100 ft. of drill Parsley, ¼ oz. to 100 ft. of drill Peas, garden, 1 pint to 100 ft. of dr Peas, field	2 oz. 4 lbs. 4 lbs. 5 lbs. 1 to 3 lbs. 1 to 3 lbs. 1 to 3 lbs. 1 to 3 lbs. 1 lbs. 2 lbs. 3 lbs.
Kohl Rabi, ½ oz. to 100 ft. of drill. Leek, ½ oz. to 100 ft. of drill Lettuce, ½ oz. to 100 ft. of drill Martynia, 1 oz. to 100 ft. of drill Martynia, 1 oz. to 100 ft. of drill Melon, Musk, 1 oz. to 100 hills Melon, Water, 4 oz. to 100 hills Melon, Water, 4 oz. to 100 ft. of drill. Okra, 1 oz. to 100 ft. of drill. Okra, 1 oz. to 100 ft. of drill. Onion Seed, ½ oz. to 100 ft. of drill. Onion Sets, 1 quart to 4) ft. of drill Parsnip, ¼ oz. to 100 ft. of drill. Parsley, ¼ oz. to 100 ft. of drill. Parsley, ¼ oz. to 100 ft. of drill. Peas, garden, 1 pint to 100 ft. of dr Peas, field	2 oz. 4 lbs. 4 lbs. 3 lbs. 5 lbs. 1 to 3 lbs. 1½ to 4 lbs. 15 lbs. 1½ to 4 lbs. 40 to 80 lbs. 40 to 80 lbs. 3 lbs. 3 lbs. 11 to 3 bu. 2 bu. 3 oz. 3 to 4 lbs.
Kohl Rabi, ½ oz. to 100 ft. of drill. Leek, ½ oz. to 100 ft. of drill Lettuce, ½ oz. to 100 ft. of drill Lettuce, ½ oz. to 100 ft. of drill Martynia, 1 oz. to 100 ft. of drill Melon, Musk, 1 oz. to 100 hills Melon, Water, 4 oz. to 100 hills Nasturtium, 2 oz. to 100 ft. of drill. Okra. 1 oz. to 100 ft. of drill. Onion Seed, ½ oz. to 100 ft. of drill. Onion Seed, ½ oz. to 100 ft. of drill Parsnip, ¼ oz. to 100 ft. of drill Parsnip, ¼ oz. to 100 ft. of drill Peas, garden, 1 pint to 100 ft. of dr Peas, field	2 oz. 4 lbs. 4 lbs. 3 lbs. 1 to 3 lbs. 1 to 3 lbs. 1 to 4 lbs. 1 to 5 lbs. 1 to 5 lbs. 1 to 5 lbs. 2 to 4 lbs. 3 lbs. 4 to 5 lbs. 4 to 5 lbs. 4 to 5 lbs. 5 lbs. 6 lbs. 6 lbs. 7 lbs. 8 lbs. 9 lbs. 9 lbs. 1 lbs. 1 to 3 lbs. 1 to 3 lbs. 1 to 4 lbs. 1 to 3 lbs. 1 to 1 lbs. 1 to 1 lbs.
Kohl Rabi, ½ oz. to 100 ft. of drill. Leek, ½ oz. to 100 ft. of drill. Leek, ½ oz. to 100 ft. of drill. Martynia, 1 oz. to 100 ft. of drill. Melon, Musk, 1 oz. to 100 ft. of drill. Melon, Water, 4 oz. to 100 hills. Melon, Water, 4 oz. to 100 hills. Masturtium, 2 oz. to 100 ft. of drill. Okra, 1 oz. to 100 ft. of drill. Okra, 1 oz. to 100 ft. of drill. Onion Seed, ½ oz. to 100 ft. of drill Onion Seed, 1 ouart to 4) ft. of drill Parsnip, ¼ oz. to 100 ft. of drill. Parsley, ¼ oz. to 100 ft. of drill. Parsley, ¼ oz. to 100 ft. of drill. Peas, garden, 1 pint to 100 ft. of dr Peas, field	2 oz. 4 lbs. 4 lbs. 3 lbs. 5 lbs. 1 to 3 lbs. 1½ to 4 lbs. 1½ to 4 lbs. 15 lbs. 40 to 80 lbs. 40 to 80 lbs. 2 bu. 3 lbs. 1bs. 1bs. 1bs. 1bs. 1bs. 1bs. 1bs. 1
Kohl Rabi, ½ oz. to 100 ft. of drill. Leek, ½ oz. to 100 ft. of drill Leek, ½ oz. to 100 ft. of drill Lettuce. ½ oz. to 100 ft. of drill Martynia, 1 oz. to 100 ft. of drill Martynia, 1 oz. to 100 ft. of drill. Melon, Musk, 1 oz. to 100 hills Melon, Water, 4 oz. to 100 hills Melon, Water, 4 oz. to 100 ft. of drill. Okra, 1 oz. to 100 ft. of drill. Okra, 1 oz. to 100 ft. of drill. Onion Seed, ½ oz. to 100 ft. of drill. Onion Seed, for sets	2 oz. 4 lbs. 4 lbs. 3 lbs. 5 lbs. 1 to 3 lbs. 1 to 4 lbs. 1 to 5 lbs. 40 to 80 lbs. 40 to 80 lbs. 2 bu. 3 lbs. 1 to 3 lbs. 4 to 5 lbs. 40 to 80 lbs. 5 lbs. 1 lbs. 1 lbs. 1 lbs. 1 lbs. 1 lbs. 2 lbs. 1 lbs. 2 lbu. 3 lbs. 1 lbs.
Kohl Rabi, ½ oz. to 100 ft. of drill. Leek, ½ oz. to 100 ft. of drill. Leek, ½ oz. to 100 ft. of drill. Martynia, 1 oz. to 100 ft. of drill. Melon, Musk, 1 oz. to 100 ft. of drill. Melon, Water, 4 oz. to 100 hills Melon, Water, 4 oz. to 100 hills Molon, Water, 4 oz. to 100 ft. of drill. Okra, 1 oz. to 100 ft. of drill. Okra, 1 oz. to 100 ft. of drill. Onion Seed, ½ oz. to 100 ft. of drill Onion Seed, ½ oz. to 100 ft. of drill Parsnip, ¼ oz. to 100 ft. of drill. Parsney, ¼ oz. to 100 ft. of drill. Parsley, ¼ oz. to 100 ft. of drill. Peas, garden, 1 pint to 100 ft. of dr Peas, field Pepper, 1 oz. to 1.500 plants. Pumpkin, ¼ quart to 100 hills. Radish, ¾ oz. to 100 ft. of drill. Rye Salsity, ¾ oz. to 100 ft. of drill. Spinach, ¼ oz. to 100 ft. of drill.	2 oz. 4 lbs. 4 lbs. 5 lbs. 1 to 3 lbs. 1 to 3 lbs. 1 to 3 lbs. 1 to 5 lbs. 1 lbs. 1 lbs. 1 lbs. 1 lbs. 1 lbs. 2 lbs. 3 lbs. 3 lbs. 3 lbs. 3 lbs. 3 lbs. 1 lbs. 4 to 5 lbs. 4 to 5 lbs. 4 lbs. 5 lbs. 6 lbs. 6 lbs. 7 lbs. 7 lbs. 8 lbs. 8 lbs. 9 lbs. 9 lbs. 1 lbs.
Rye Salsify, ¾ oz. to 100 ft. of drill Spinach, ½ oz. to 100 ft. of drill Summer Savory	
Rye Salsify. ¾ oz. to 100 ft. of drill Spinach, ½ oz. to 100 ft. of drill Summer Savory	1½ bu. 8 lbs. 8 lbs. 34 lbs.
Rye Salsify. ¾ oz. to 100 ft. of drill Spinach, ½ oz. to 100 ft. of drill Summer Savory	1½ bu. 8 lbs. 8 lbs. 34 lbs.
Rye Salsify. ¾ oz. to 100 ft. of drill Spinach, ½ oz. to 100 ft. of drill Summer Savory	1½ bu. 8 lbs. 8 lbs. 34 lbs.
Rye Salsify. ¾ oz. to 100 ft. of drill Spinach, ½ oz. to 100 ft. of drill Summer Savory	1½ bu. 8 lbs. 8 lbs. 34 lbs.
Rye Salsify. ¾ oz. to 100 ft. of drill Spinach, ½ oz. to 100 ft. of drill Summer Savory	1½ bu. 8 lbs. 8 lbs. 34 lbs.
Salsify. % oz. to 100 ft. of drill Spinach, % oz. to 100 ft. of drill Spinach, % oz. to 100 ft. of drill Summer Savory Sunflower Squash, Summer, 4 oz. to 100 hills. Squash, Winter, 8 oz. to 100 hills. Tomato, 1 oz. to 4,500 plants. Tobacco, 1 oz. to 5,000 plants. Turn'po, 1 oz. to 250 ft. of drill	11½ bu. 8 lbs. 8 lbs. 34 lbs. 2 lbs. 2 lbs. 2 coz. 2 oz. 1 to 3 lbs.
Rye Salsify, ¾ oz. to 100 ft. of drill Spinach, ½ oz. to 100 ft. of drill Summer Savory	1½ bu. 8 lbs. 8 lbs. 34 lbs.
Rye Salsify, 34 oz. to 100 ft. of drill Spinach, 36 oz. to 100 ft. of drill Summer Savory Sunflower Squash, Sunmer, 4 oz. to 100 hills. Squash, Winter, 8 oz. to 100 hills. Tomato, 1 oz. to 4.500 plants Tobacco, 1 oz. to 5,000 plants. Turnio, 1 oz. to 250 ft. of drill. Vetches	11½ bu. 8 lbs. 8 lbs. 94 lbs. 2 lbs. 2 lbs. 2 coz. 2 oz. 1 to 3 lbs. 2 bu.
Rye Salsify, 34 oz. to 100 ft. of drill Spinach, 32 oz. to 100 ft. of drill Summer Savory Sunflower Squash, Summer, 4 oz. to 100 hills. Squash, Winter, 8 oz. to 100 hills. Tomato, 1 oz. to 4,500 plants. Tobacco, 1 oz. to 5,000 plants. Turnio, 1 oz. to 250 ft. of drill	11½ bu. 8 lbs. 8 lbs. 94 lbs. 2 lbs. 2 lbs. 2 coz. 2 oz. 1 to 3 lbs. 2 bu.

| Days | Days | Company | Days | Company | Days | D

Time Required for Maturity of Different Garden Crops

Reckoned from the	ie Da	ay of Sowing the Seed.
Da	ys.	Days.
Beans, String 45 to	65	Melon, Musk120 to 140
Beans, Shell 65 to	70	Melon, Water120 to 140
Beets, Turnip	65	Onion
Beets, Long Blood	150	Penner 140 to 150
Cabbage, Early	105	Rodich 20 to 45
Cabbage, Late	150	Samonh Cummon CO to CF
Cauliflower	110	
Corn	. 75	
Eggplant150 to		
Lettuce	65	Turnip 60 to 70

CLARKE'S SEED STORE, SHAWNEE, OKLA.

The following list will give you the prices of the principal varieties of garden seeds. If you want any other variety, as we carry a full line, the price will be in proportion. All seeds are fresh and the packages are put up by us. Fill out the enclosed order sheet with what you may select, and the same will be promptly filled.

Dwarf, Bush or Snap										
Dwarf, Black Wax	1		PKT.	Pt.	Qt.		Pkt.	Pt.	Qt.	
Pole or Running White Cress Black	1	Dwarf, Bush or Snap				Sweet, or Sugar Varieties				
Pole or Running White Cress Black	ı	Dwarf, Black Wax	\$.10	\$.25	5.50	Mammoth White Cory	\$.10 .10	\$.15	\$.25	
Pole or Running White Cress Black	ı	Wardwell's Kidney Wax	.10	.25	:50	Early Minnesota.	.10	.15	·25	
Pole or Running White Cress Black	ł	Davis' Wax	.10	.25	.50	Perry's Hybrid	.10	.15 15	·25	
Pole or Running White Cress Black	۱	Stringless Green Pod	.10	.25	.50	Ferry's Early Evergreen		.15	-25	
Pole or Running White Cress Black	ı	Refugee, or Thousand to One	.10	.25	.50		.10	.15	.25	
Pole or Running White Cress Black	I	Dwarf Large White Lima (Burpee's)	.10	.25	.50		.10	15	20	
White Crease Black	ı	Pole or Running	.10							
Early Golden Cluster wax	l		10	20	35					
Right Section Company Section Company Section Company Section Company Section Company Section Company Compan	ı	Early Golden Cluster wax	.10	.20	.35				.20	
Right Section Company Section Company Section Company Section Company Section Company Section Company Compan	l	Jersey Lima	.10	.20	.35	Early Cluster	.05	.10	-20	
Extra Barly Exptian Blood Turnip.	l	Seibert's Early Lima.		.20	.35	Chicago, or Westerfield Pickling	.05	.10		
Extra Early Egyptian Blood Turnip	l					Extra Long, or Eveagreen White Spine	.05	.10	-20	
Crosby's Exprian	ı					EGG PLANT	.03	.10	.20	
Mangel Wurzels Mammoth Long Red. .05 .05 .15 .15 .16 .05 .15 .15 .16 .05 .15 .15 .16 .10 .20 .10 .20 .20 .10 .20 .20 .10 .20 .20 .10 .20	ı	Crosby's Egyptian Blood Turnip	05	.10	.25		.05	.25	-60	
Mangel Wurzels Mammoth Long Red. .05 .05 .15 .15 .16 .05 .15 .15 .16 .05 .15 .15 .16 .10 .20 .10 .20 .20 .10 .20 .20 .10 .20 .20 .10 .20	1	Detroit Dark Red Turnin	.05	.10	.25					
Mangel Wurzels Mammoth Long Red. .05 .05 .15 .15 .16 .05 .15 .15 .16 .05 .15 .15 .16 .10 .20 .10 .20 .20 .10 .20 .20 .10 .20 .20 .10 .20	1	Edmand's Early Blood Turnip	.05	.10	.25	Large Green Curled	.05	.10	.25	
Mangel Wurzels Mammoth Long Red. .05 .05 .15 .15 .16 .05 .15 .15 .16 .05 .15 .15 .16 .10 .20 .10 .20 .20 .10 .20 .20 .10 .20 .20 .10 .20	1	Half Long BloodLong Dark Blood, improved	.05		.25	Broad Leaved Batavian	.05	.10	-25	
Mammoth Long Red. 0.05 15 15 15 15 15 15 15	1		.00	,10			05	10	200	
BROCOLI Early Large White Prench. Description Desc	ı	Mammoth Long Red		.05	.15	Tall Green Curled Scotch	.05	.10	.20	
Early Large White French. 0.5 .40 1.00	ı	Golden Tankard		.05	.15					
Brussels Sprouts CABBAGE First Early Sorts Early Jersey Wakefield. .05 .25 .50 Charleston, or Large Wakefield. .05 .25 .35 Carly I ware Flat Dutch. .05 .25 .35 Carly I ware Flat Dutch. .05 .25 .35 Carly I ware Flat Dutch. .05 .25 .35 Simpsons. Early Curled. .05 .10 .25 Simp	l				7 00		.05	.25	.75	
Dest Imported	ı		.05	.40	1.00	LEEK			•,,,	
Cabbage Cabb	ı	•	05	7.5	05		.05	.10	.25	
Early Jersey Wakefield	ı		.05	.15	.33					
Second Early or Summer Sorts 1.05	l		1							
Second Early or Summer Sorts 1.05	l	· ·			50	Early Tennis Ball		.15	•35 •35	
Second Early or Summer Sorts 1.05	ı	Early Jersey Wakefield	.05	.25		Hanson	.05	.10	-35	
Second Early or Summer Sorts 1.05	ı	Early Spring	.05	.30	.60	Hubbard's Market	.05	.15	. 35	
Henderson's Early Summer.	ı		.10	.33	./3	Denver Market	.10	.20	-35	
Late, or Autumn and Winter Sorts Mamm.oth Rock Red	1		05	.25	.50				0.5	
Late, or Autumn and Winter Sorts Mamm.oth Rock Red		Early warf Flat Duich	.05	.20	.40	Grand Rapids		.20	•35 •35	
Late, or Autumn and Winter Sorts Mamm.oth Rock Red		Early Drumhead	.05	.25	.50	Simpson's Early Curled	.05	.10	.35	
Mamm.oth Rock Red			.00			Prize Head		.10	.35	
Sure Head		Mamm.oth Rock Red	05	.25	.60		.30			
Premium Late Drum Head	1	Sure Head	.05	.20	.60			7.0	05	
Premium Late Drum Head	1	Houseman Late Flat Dutch	.05	.20	.60	Extra Early Hackensack		.10	·25 ·25	
Early Scarlet Horn	1	Premium Late Drum Hood	.05	.20	.60	Hackensack	.10	.20	.40	
Early Scarlet Horn		St. Louis Market		-30	.75	Large Green Nutmeg	.05	.10	.25	
Early Scarlet Horn		CARROT				Surprise	.05	.10	·25	
Chautenay 0.05 10 30 30 30 30 30 30 30	1	Early Scarlet Horn		.10	.70	WATER MELON	.05	.10	•60	
CAULIFLOWER		Guerande, or Ox Heart	.05	.10	.30	Peerless		.10	-20	
Extra Early Dwarf Erfurt .35		Danvers	.05	.10	.30	Sweet Heart		.10	.20	
Extra Early Dwarf Erfurt .35			.05	.10	.50	Ford Hook Melon	.05	.10	.20	
Extra Early Dwarf Erfurt .35			35			Tom Watson		.10	.25	
Extra Early Paris 0.05 Veitch's Autumn Giant 0.05		Extra Early Dwarf Erfurt	.35			Alabama Sweet	.05		.20	
MUSTARD White Plume. Golden Heart, or Golden Dwarf .05 .05 .05 .30 .05 .30 .20 .25 .05 .30 .20 .		Extra Early Paris				Florida Favorite	.05	.10	.20	
White Plume .05 .25 .05 .30 White English .05 .10 .20 Dwarf White Solld, or Large Ribbed Kalamazoo .05 .25 .05 .25 .05 .25 .05 .25 .05 .20 .05 .10 .20 CELERIAC OKRA OKRA Celeriac, or Turnip Rooted Celery .05 .20 <t< td=""><td></td><td></td><td>.00</td><td></td><td></td><td>MUSTARD</td><td>.05</td><td>.10</td><td>.20</td></t<>			.00			MUSTARD	.05	.10	.20	
NASTURTIUM NAS		White Plume	05	25			05	10	20	
Mazoo .05 .25 Dwarf Mixed .05 .10 .20 .20 .05 .10 .20		Golden Heart, or Golden Dwarf		20		Giant Southern Curled		.10	.20	
CELERIAC Celeriac, or Turnip Rooted Celery		mazoo	.05	.25			0.5			
CELERIAC Celeriac, or Turnip Rooted Celery		Giant Pascal		.25		Dwart Mixed		.10		
Celeriac, or Turnip Rooted Celery						OKRA				
		Celeriac, or Turnip Rooted Celery	.05	.20		Dwarf White	.05	.10	.20	
ACIT FOR PRICES ON POLINE LOWS	_									

				и			
ONION	Pkt.	Oz.	1 lb.	101111 10111 (0011111111)	Pkt.		
Large Red Weathersfield	\$.10	\$.20	1.25	Crimson GiantLong White Vienna, or Lady Finger	\$.05	\$.10	\$.25
Yellow Danvers White Portugal (American Silverskin)	.10	.20	1.25	White Strasburg	.05	.10	
White Portugal (American Silverskin)	.10		1.60	White Strasburg St. Louis White Summer	.05		
White Globe			1.40 1.40		.03	.10	•23
	-10	.20		Winter Varieties			
PARSLEY			¼ lb .	Scarlet China Rose Colored China	.05		
Plain and Moss Curled				Rose Colored China	.05		
Fine Triple Curled	.05	.10	.20	Loug Black Spanish	.03		3
PARSNIP				Salsify, or Vegetable Oyster		.15	
Long White Dutch, or Sugar	-05			Mammoth Sandwich Island	.05	•13	.40
Hollow Crown, or Guernsey	.05	.10	.20	SPINACH			
				Round Summer Broad Leaf		.05	.IO
Extra Early Sorts	Pkt.	Pt.	Qt.	Round Summer Broad Leaf			
Gradus	.10	.20		flay)		.05	
First and Best	.10	.20	•35	Long Standing		.05	.10
Nott's Excelsior				SQUASH			
McLean's Little Gem	.10	.20	.35	Summer Sorts			
Telephone	.10	.20	-35	Mammoth White Bush Scallop	.05		
Late Sorts	1			White Summer Crookneck	.05		.15
Improved Stategem	.10		*33	Mammoth Summer Crookneck	.05	.10	.15
Pride of the Market, cho cest selected stock			1 .00	Autumn or Winter Sorts			
Champion of England, choice	.10			Boston Morrow	.05	.TO	.20
Large White Marrowfat	4			Hubbard	.05		
PEPPER		Oz.	-00	SUNFLOWER			.20
Large Bell, or Bull Nose	.05			Large Russian			.10
Chinese Giant	.05			TOMATO			
Ruby King	.05	.20		Earlina			
PUMPKIN			1/4 lb.	Stone	.05		
Pie.	.05	.10	.15	Improved Trophy	05		
Large Yellow		.10	.15	Ponderosa		.30	1.00
Sweet Cheese, or Kentucky Field	.05		.15	Dwarf Champion	.05		
RADISH				Yellow Plum TURNIP	.05	.20	.75
Scarlet Globe	.05	.10	.25				
Early Scarlet Turnip, white tipped forcing		.Io	.25	White Flesh Sorts	1		
Early Scarlet Turnip, white tipped	05			Extra Early White Milan	.05	.10	.20
Early Round Deep Scarlet.	.05			Extra Early Purple top Milan Early Purple top, strap leaved	.05	,IC	.20
Early White Turnip Rooted	.05			Purple top White Globe	.05		
French Breakfast	.05				.05	.10	,20
Long Brightest Scarlet, white tipped	.05	.10	.25	Rutabagas, or Swedes			
Early Long Scarlet, improved		.10	.25	Carter's Imperial Purple Top	.05	.10	.20
	4	1			1	<u> </u>	1

THE SUPEST FEED FOR OKLAHOMA

SPRING BARLEY

One man near Shawnee produced 40½ bushels per acre, one 38 bu., one 47½ bu., one 36 bu., and numerous farmers from 30 to 40 bushels per acre. A word about Barley sowed when oats are sowed, with the same preparation, Barley is a week or 10 days earlier, stands up better, owing to a heavier straw, and one year with another will produce from 25 per cent to 50 per cent more pounds of feed than oats. Soaked barley is the equal of corn for hogs, and when ground is a better feed for horses and cattle. In 1914 the Jarvis Ranche marketed over \$4,000.00 worth of hogs fattened on barley, and one load of these hogs topped the Oklahoma City market for 1914.

Southwest Oklahoma produces many cars of Barley, and the farmers of that section are enthusiastic over it. One bushel will drill an acre or $1\frac{1}{4}$ bushel on heavy soil. We have both the beardless and bearded, and can quote attractive priceson either.

Try a patch of Barley and you will stop buying feed shipped in from the north.

Our Specialties Include

Alfalfa, Feterita, Dwarf Black Hulled Kaffir Corn, Seed Cane, all varieties, White Bloom Sweet Clover, Texas Seeded Ribbon Cane Seed, Big German Millet.

We have hundreds of seeds not mentioned in this catalog, in fact every thing carried by a first class seed house.

We Respectfully Submit the Following Suggestions for Your Consideration

- 1. That a larger vegetable diet instead of much meat possibly might be of benefit to your health and that of your family.
- 2. That a diet of vegetables is more economical than a meat diet.
- 3. That the kitchen garden is the surest way of securing fresh vegetables, as the purchased vegetable is most frequently old and inferior.
- 4. That if you do not plant your yard and care for it, the weeds will grow and become ugly and offensive.
- 5. That you plant your vegetables in long rows instead of little beds and do without stooping, the work of six hoes with our wheeled garden cultivator.
- 6. That the work of making a garden is as healthful a physical exercise as golf and as mentally stimulating as chess, the work for ladies and gentlemen.
- 7. That no house can be complete in its setting without well-kept gardens, lawns and flowers.
- 8. That no place can possibly be mean that has about it gardens, lawns and flowers grown from our vegetable, grass and flower seed.
- 9. That we buy seed in bulk that is fresh and tested; not old and returned commission seed.
- 10. That the superior seed we handle is here within your reach when you want it without the trouble, expense and delay of sending for it.
- 11. That this seed is as reasonable in price and as good seed as can be secured.
- 12. That in buying your seed or other supplies of us, you are keeping the dollars and pennies at home.
- 13. That we certainly do appreciate your trade fully.
- 14. That you buy at once before some varieties of seed, made scarce by the war and bad climatic conditions, be exhausted.
- 15. That if you will submit us a list of your future seed wants upon which we may figure, we will save you much more than the express or postage plus the cost of sending and be here to see the result of the seed we sell you.

PLANT ECLIPSE BRAND SEEDS NO BETTER AT ANY PRICE



OUR SEEDS ARE SELECTED FOR OKLA-HOMA AND THE SOUTHWEST